CATALOGUE No.

T.9.

1939

SPEAR & JACKSON

SPEARIOR & NEVERBEND TOOLS

CATALOGUE OF
SAWS and TOOLS
for 1939

Steel & Saw Makers

for over 160 years.



Telephone :—
SHEFFIELD 20202.
(5 Lines).

Telegrams :—
SPEAR, SHEFFIELD.

Established 1774.



REPRESENTATIVES:

Wales & South England:
Mr. H. J. TOLEMAN,
127, Lake Road, West,
Telephone: Cardiff 7890. CARDIFF

Birmingham & Eastern Counties:
Mr. F. J. KENDALL,
"Heathcote," Ampthill Road,
BEDFORD.

Lancashire, North Midlands & West of England:
Mr. G. TAYLOR.
3, Court Avenue,
HALEWOOD, Nr. Liverpool.
Telephone: Huntscross 1644

Scotland:
Mr. J. J. MACADAM,
7, Burncleuch Avenue,
Cambuslang, GLASGOW.
Telephone: Cambuslang 566

Yorkshire & North East Counties:
Mr. J. HURT,
Aetna House, Creswick Lane, Grenoside,
Telephone: Ecclesfield 40206. Nr. Sheffield.

Ireland:
Mr J. GREENLEE,
142, Clontarf Road,
Telephone: Clontarf 106 DUBLIN.

London & District:
Mr. R. R. BEXFIELD,
11, Scott Ellis Gardens,
St. John's Wood, LONDON, N.W.8.
Telephone: Holborn 0621.

CATALOGUE No. T9

All previous catalogues cancelled.

Spear & Jackson Ltd.

Steel Makers for Over 160 Years. AETNA WORKS SHEFFIELD

INDEX

	Page
Advertising Material	4-7
Augers	43
Axes	33
Backsaws	13
Bagging Hooks	63
Bandsaws	22
Beet Forks	61
Beet Knives	61
Bevels	41
Bill Hooks	74
Bits, Carpenters Brace	42-43
Border Forks	51
,, Shears	65
Bow Saws	20
,, ,, Blades	20
Braces, Carpenters	42
Bradawls	41
Brick Chisels	37
,, Hammers	39
,, Trowels	44
Brushing Hooks	73
Buck Saws	21
Butchers Bow Saws	20
,, Knives	35
,, Steels	35
Carpenters Braces	42
,, Pencils	41
Case Openers	43
Centre Bits	42
,, Punches	37
Compasses	28
Chisels, Cold	36-37
,, Brick, etc.	37
,, Wood	29
Choppers	35
Circular Saws	23
Clay Spades	50
Cleavers	34
Coal Hammers	39
Coke Forks	55
Compass Saws	16
Crosscut Saws	15, 18-19
,, ,, Handles	19
Crow Bars	45
Cultivators	66
Daisy Grubbers	70
Dibblers	70
Digging Forks	51
Drags, Filling	54
,, Manure	54
,, Potato or Strawberry	54
Draining Spades	50
Drills, Bit Stock	43
,, Jobbers	43
Earth Rammers	45
Edging Knives	71
Electricians Chisels	37
Engineers Hammers	38
Farmers Hammers	39
Ferrules for Hay and Manure Forks	60
Files	26-27
,, Spearfast	15
Filling Drags	54
Forks, Beet	61
,, Coke and Stone	55
,, Digging and Border	51
,, Handles	62
,, Hay	56-60
,, Manure	53
,, Potato	52
,, Tarmac	55
,, Weed	70
Garden Picks	45
,, Rakes	72
,, Reels	70
Garden Shears	64
,, Trowels	71
Gauges	41
Gauging Trowels	44
Graphol	19
Grass Hooks	63
,, Shears	63
Gimlets	41
Gouges	29
Hacksaw Frames	25
,, Blades	24-25
Hammers	38-39
Hand Saws	8-12
Handles, for Backsaws	22
,, ,, Crosscut Saws	19
,, ,, Forks	62
,, ,, Hammers	38
,, ,, Handsaws	22
,, ,, Hay Forks	60
,, ,, Manure Forks	62
,, ,, One Man Saws	17
,, ,, Rakes	62
,, ,, Spades & Shovels	62
Hatchets	33
Hay Forks	56-60
,, ,, Shafts	60
Hoes, Handled	67-68
,, Unhandled	69
Hooks, Bagging	63
,, Grass or Thistle	63
Irons for Planes	32
Jobbers Drills	43
Joiners Scrapers	21
Knives for Beet	61
,, Butchers	35
Lawn Rakes	72
Lawn Shears	64
Line Pins	44
Loading Forks	55
Lopping Shears	65
Mallets	41
Manure Drags	54
,, Forks	53
,, ,, Handles	62
Marking Gauges	41
Masons Trowels	44
Mattocks	45
Mortar Picks	44
Nail Punches	37
Nests of Saws	16
Nippers	28
Odd Job Outfits	30-31
One Man Crosscut Saws	15, 17
,, ,, ,, Handles	17
Pad Saws	16
,, ,, Blades & Handles	16
Paint Scrapers	21
Pencils, Carpenters	41
Picks and Handles	45
Pincers	28
Planes	32
Plane Irons	32
Plant Setters	70
Plasterers Trowels	44
Pliers	28
Plugging Chisels	37
Plumbers ,,	37
,, Shavehooks	41
Pointing Trowels	44
Post Driver's Hammers	38
Potato Drags	54
,, Forks	52
Prongs for Hayforks	60
Pruning Saws	14-16
,, Shears	63
Punches, Centre and Nail	37
Putty Knives	41
Rakes	72
Rakes, Garden	72
,, Handles	62
,, Heads	72
,, Tarmac	72
Saws, Back	13
,, Band	22
,, Bow	20
,, Buck	21
,, Circular	23
,, Compass	16
,, Crosscuts	15, 18-19
,, Flooring	12
,, Hack	24-25
,, Hand	8-12
,, Handles	22
,, Interchangeable	16
,, One Man	15, 17
,, Pad	16
,, Pruning	14, 16
,, Sets	17
,, Screws	22
,, Spearfast	14-15
,, Tangs for Cross Cuts	19
Scrapers, Joiners	21
,, Paint	21 & 41
Scythes, Featherweight	66
,, Blades	74
,, Handles	74
Secateurs	63
Shavehooks, Plumbers	41
Shears, Border	65
,, Garden	64
,, Grass	63
,, Lawn	64
,, Lopping	65
,, Pruning	63
,, Trimeasy	65
Shovels	46-47
,, Handles	62
Slashers	73
Slaters Hammers	39
,, Lath Hatchet	44
,, Rippers	44
Sledge Hammers	38
Snips, Tinmen's	43
Spades	48-50
,, Handles	62
Spokeshaves	32
Spuds	66
Squares	41
Steels, for Butchers	35
Stick Choppers	33
Stone Forks	55
,, Hammers	38
Strawberry Drags	54
Supplementary Handles	17
Tack Lifters	41
Tangs, for Crosscuts	19
Tarmac Forks	55
,, Rakes	72
Tenon Saws	13
Tinmen's Snips	43
Tree Pruners	65
Trowels, Garden	71
,, Plasterers	44
Turfing Irons	50
Turning Frames	21
,, Webs	21
Turnscrews	40
Wall Drills	37
Warrington Hammers	39
Weed Forks	70
Wedges for Wood	33
Wing Compasses	28

CONDITIONS OF SALE.

This edition cancels all previous catalogues.

Prices and discounts subject to alterations without notice.

All goods Branded "NEVERBEND," "NEVERFAIL," "NEVERBREAK," "SPEARIOR" or "MERMAID," are fully warranted to withstand the work for which they are intended, and will be replaced if proved defective on returning to the Works.

All goods returned should be accompanied by an advice note.

All goods made to special particulars will be charged at lowest possible price, but cannot, in any circumstances, be cancelled when partly manufactured or returned for credit.

Cartons are used wherever possible, and charged at a nominal figure of 6d., and are not returnable. You save the cost of carriage on empties, and their value cannot be deducted at settlement.

Irish Traffic.
Standard rate of Clearance charges on all goods to the Irish Free State will be charged at the foot of Invoices.

SAW ADVERTISING MATTER.

SAW ADVERTISING MATTER.

Illustrated on the opposite page is our current Window Display matter which is available for your use on application.

Our Colour Scheme is Red, Black and Yellow, and a most effective window can be made up with a selection of our display, much of which is equally suitable for use on the counter or display table, etc.

PLEASE STATE QUANTITY AND REF. No. WHEN ORDERING.

Ref. No.	
E.1	88P HANDSAW CENTRE DISPLAY.
E.2	,, ,, WINDOW BILL.
E.3	,, ,, STAND.
E.4	SPEARFAST HANDSAW CARD.
E.5	,, ,, WINDOW BILL.
E.6	,, ,, STAND.
E.7	HANDSAW CENTRE POSTER.
E.8	,, EXTENDER.
E.9R	,, RIGHT HAND DROPS.
E.9L	,, LEFT ,, ,,
E.10	CIRCULAR CARD "COME INSIDE."
E.11	,, ,, PRICE TICKET.
E.12	SLOTTED CARD, FOR HANDSAWS.
E.13	CIRCULAR WOODEN DISC FOR CENTRE DISPLAY.
E.14	"T" SHAPE WOODEN STAND.
E.22	LATHS FOR HOLDING HANDSAWS.
E.43	"SPEARIOR" SIGNS IN PAIRS. (One Hanging Type and one Stand Type.)
***E.45**	WALL CHART CARD.
E.46	88P METAL SHOW CARD ON STAND.

E.16 See below for details (E.11, E.12, E.13, E.14)

***PLEASE NOTE.—We have also Wall Charts suitable for school authorities and the craftsman, available for your distribution, Ref. E.28/4. Do not forget to ask for a supply.**

E.16 Box contains:
- 1—E.11 Circular Price Card
- 1—E.12 Slotted Card
- 4—E.13 Circular Wooden Discs
- 2—E.14 "T" Shape Wooden Stands

Complete with instructions of how to assemble.

"NEVERBEND" ADVERTISING MATTER.

"NEVERBEND" ADVERTISING MATTER.

Illustrated on the opposite page is our current Window Display matter which is available for your use on application.

Our Colour Scheme is Red, Black and Yellow, and a most effective window can be made up with a selection of our display, much of which is equally suitable for use on the counter or display table, etc.

PLEASE STATE QUANTITY AND REF. No. WHEN ORDERING.

Ref. No.	
C.1	"NEVERBEND" SPADE AND FORK CENTRE POSTER.
C.2	,, ,, ,, ,, BILL.
C.3	,, ,, ,, ,, EXTENDER.
C.4R	,, RIGHT HAND DROPS.
C.4L	,, LEFT ,, ,,
C.8	,, METAL SPADE STAND.
C.14	,, PRICE TICKETS.
C.15	,, SIGNS IN PAIRS. (One Hanging Type and one Stand Type.)
C.17	,, SPADE OR FORK STAND, SUITABLE FOR 4 TOOLS.
C.17A	,, CENTRE DISPLAY CARD.
C.20	,, "POWERFUL PARTNERS" SHOWCARD.
C.21	,, ,, ,, BILL.
C.22	,, "CALL A SPADE" BILL.
C.23	,, ,, ,, POSTER.
C.24	,, ,, ,, CARD.
C.25	CIRCULAR WOODEN DISC FOR HOLDING SPADES OR FORKS.
C.25A	"NEVERBEND" TRIANGULAR CARDS FOR C.25 DISPLAY.

171 88 25



Section showing
Non-Break Handle.
Patent No. **401274.**

JOINERS' HANDSAWS SKEW BACK

171P **"Vanadium"** Alloy Steel. Special Non-Break Handle (Carved) Light Beech, Brass Screws.

88P **"Spearior"** Quality. Precision Ground, Special Alloy Cast Steel, Non-Break Handle, Light Beech, Brass Screws.

25N **"Leapfrog"** Warranted Best Cast Steel. Light Beech Handle, Brass Screws.

PRICES AND POINTS STOCKED.

		20	22	24	26	28 Rip	Inches.
		10, 12	10, 12	7, 8	5½, 6, 6½, 7, 8,	3½ & 4	Points.
171P	...	**201**/-	**213**/-	**225**/-	**231**/-	**270**/–	Dozen.
		10, 11, 12	10, 11, 12	6, 7, 8	5, 5½, 6, 6½, 7, 8, 4 Rip	Rip 3½, 4, 4½	Points.
88P	..	**147**/-	**156**/-	**171**/-	**171**/-	**201**/-	Dozen.
		10, 12	10, 11, 12	6, 7, 8	5, 5½, 6, 6½, 7, 8 4 Rip	Rip 4	Points.
25N	...	**128/3**	**135**/-	**141/9**	**148/6**	**153/6**	Dozen.

Non-Break Handle (Patent No. 401274) as illustrated. Supplied in Patterns 171 and 88.

Note :—Each Saw enclosed in a damp proof bag.

Boxing : Pattern 171 Singly. Patterns 88 and 25, ⅓ dozens.

Any of the above saws can be supplied with "FLEAM TOOTH" without extra charge.

82 24 77



Section showing
Non-Break Handle
Patent No. **401274**

STRAIGHT BACK JOINERS' HANDSAWS.

82P **"Spearior"** Quality, Precision Ground, Special Alloy Cast Steel, Non-Break Handle, Light Beech, Brass Screws.
24N **"Leapfrog."** Warranted Best Cast Steel, Light Beech Handle, Brass Screws.
77 „ Fleam Tooth, Warranted Best Cast Steel, Light Beech Handle, Brass Screws.

PRICES AND POINTS STOCKED

		20	22	24	26	28	Inches.
		10, 12	10, 12	6, 7, 8	5, 5½, 6, 6½, 7, 8 4 Rip	Rip 3½, 4	Points.
82P	... ...	**132**/-	**138**/-	**147**/-	**153**/-	**174**/-	Dozen.
		10, 11, 12	8, 10, 11, 12	5, 5½, 6, 7, 8	5, 5½, 6, 6½, 7, 4 & 4½ Rip	Rip 3½, 4	Points.
24N	... ...	**121/6**	**128/3**	**135**/-	**141/9**	**148/6**	Dozen.
		—	—	5½	5½	—	Points.
77	... ...	—	—	**135**/-	**141/9**	—	Dozen.

Non-Break Handle (Patent No. 401274) as illustrated, supplied in pattern 82 only.

Note :—Each Saw enclosed in a damp proof bag.

Boxing : ⅓ Dozens.

Patterns 82P and 24N can be supplied with " FLEAM TOOTH " without extra charge.

179 **62** **66** **60**

AMATEURS' SAWS

179	**Sovereign.** Warranted Cast Steel.	Skew Back,	Light Beech Handle,	Brass Screws.
62	**Lloyd Davies.** ,, ,,	Straight Back	,,	,,
66	**Aetna** Cast Steel.	,,	,,	,,
60	,, ,,	Skew Back	,,	,,

PRICES AND POINTS STOCKED

179					20	22	24	26	28	Inches.
					8, 10	8, 10, 12	6, 7, 8	5, 5½, 6, 6½, 7 4 Rip	4 Rip	Points.
	...	...	...	...	**81/-**	**88/6**	**95/9**	**99/3**	**113/6**	Dozen.
62					7, 8, 10	6, 7, 8	5, 6, 6½, 7	4½, 5, 5½, 6, 7	Rip 4, 4½	Points.
	...	...	...	...	**74/3**	**81/6**	**88/6**	**92/–**	**106/6**	Dozen.
66	12	14	16	18	20	22	24	26		Inches.
	8	8	8	7, 8	7, 8	6, 7	5, 6, 7	4½, 5, 6, 7		Points.
	35/6	**39/–**	**42/3**	**46/3**	**50/–**	**53/3**	**56/9**	**60/6**		Dozen.
60					20	22	24	26		Inches.
					8, 10	7, 8, 10	6, 7, 8,	5, 6, 7		Points.
	...	...	...	...	...	**53/3**	**57/–**	**64/-**	**67/6**	Dozen.

Boxing: Patterns 179 and 62, ⅓ dozens. Patterns 66 and 60, ½ dozens.

99 **100** **64** **186**

HOUSEHOLD & FARMERS' SAWS

99 **Cockerill** Cast Steel, Skew Back, Black Handle, Brass Screws.
100 ,, ,, ,, Straight Back, Black Handle, Brass Screws.
64 **Sovereign.** American Tooth, Warranted Cast Steel, Straight Back, Light Beech Handle, Brass Screws.
186 **Aetna.** ,, ,, Cast Steel, Straight Back, Light Beech Handle, Brass Screws.
69 **Goblin.** ,, ,, ,, ,, ,, ,, Black Handle, Brass Screws. Cheaper quality than **186**

PRICES AND POINTS STOCKED.

						18	20	22	24	26	Inches.
						8, 10	7, 8, 10	6, 7, 8, 10	5, 6, 7, 8	5, 6, 7	Points.
99	...	...	...	...	...	...	**33/9**	**37/3**	**40/6**	**44/-**	**47/3**	Dozen.
			12	14	16	18	20	22	24	26	Inches.
			8	8	8	7, 8	7, 8	6, 7	5, 6, 7	4½, 5, 6, 7	Points.
100	...	...	...	**23/9**	**27/3**	**30/9**	**33/9**	**37/3**	**40/6**	**44/-**	**47/3**	Dozen.
									24	26	Inches.
64	...	...	...	...	...	...	...	...	...	**95/9**	**99/6**	Dozen.
186	...	...	...	...	...	...	...	...	...	**64/–**	**67/3**	,,
69	...	...	...	...	...	...	...	...	...	**53/3**	**57/–**	,,

Boxing : Patterns 99, 100, 186 and 69, ½ dozens. Pattern 64, ⅓ dozens.

92 93

		24 4, 4½	26 4, 4½	Inches. Points
92	**Miners, "Aetna"** Cast Steel, Light Beech Handle, Brass Screws	**57**/-	**60/3**	dozen.
68	,, **"Cockerill"** ,, Black ,, ,, ...	**44**/-	**47/3**	,,
93	**Welsh Pit, "Lloyd Davies"** Warranted Cast Steel, Black Handle	**57**/-	—	,,
94	,, ,, **"Goblin"** Cast Steel, Black Handle	**44**/-	—	,,

113 **Zinc Salt Saws,** Unpolished Handles, 16″ only ... ... **27**/– dozen.

12 **"Cockerill" Household,** Double Edge, Cast Steel, Black Hdle. 7 pts. 1 side, 14 pts. other, 16″ or 18″ Blade **32/3** doz.

10 ,, **Flooring Saws,** Cast Steel, Black Handle, with Starting Teeth on Back ... ... **53/3** ,,

330 THE "ODD JOB" all-purposes handsaw (as supplied with our "ODD-JOB MAJOR" household repair outfit) cuts almost any material—wood, wire, bolts, nuts, galvanised iron, fibre, brass or copper and any soft metal. Made in one size only, 16 inches **42/9** dozen.

Boxing. Patterns 92, 68, 94 and 12, ½ dozens. 93 and 10, ⅓ dozens.

E 180 "AMATEUR" Saw
22 in. x 8 pt. ... **42/9** dozen



Makes an Ideal Present for a Boy, and can be packed in this attractive carton, ready for posting, free of charge if Specified on order.

260 **266** | **46** **52** | **47** **47B** | **55** | **22** | **154**

BACK SAWS

260 **"Spearior"** Quality. Special Alloy Cast Steel, Non-Break Handle, Light Beech, Brass Screws. With additional Screw through Back.
46 **Leapfrog** Warranted Best Cast Steel. ,, ,, ,, ,, ,, ,,
47 **Lloyd Davies** Warranted Cast Steel. Light Beech Handle, Brass Screws.
47B ,, ,, ,, **For Butchers' use.** Unpolished Handles.
55 **Aetna** ,, ,, Light Beech Handle, Brass Screws.
22 **Cockerill** Cast Steel. Black Handle, Brass Screws.
154 **Gent's Back Saw.** Light Beech Handle.

Dovetail Saws. 46D, 52D and 57D, 8″ x 20 points, 26 gauge plates, at same prices as patterns 46, 52 and 57. Non-Break Handle (Patent No. **401274**) supplied in patterns, 260, 266, 46 and 52.

PRICES AND SIZES STOCKED.

		8	10	12	14	16	Inches.
260	Bright Steel Back	—	**163/–**	**175/–**	**187/–**	—	Dozen.
266	Brass Back	—	**195/9**	**224/6**	**252/9**	—	,,
46	Bright Steel Back	**130/–**	**130/–**	**138/6**	**150/3**	**167/9**	,,
52	Brass Back	**141/9**	**141/9**	**159/6**	**177/3**	—	,,
47	Bright Steel Back	**85/3**	**85/3**	**95/9**	**109/9**	**124/–**	,,
53	Brass Back	**106/6**	**106/6**	**117/–**	**127/6**	—	,,

		16	18	20	22	24	Inches.
47B	Bright Steel Back	**124/-**	**138/6**	**148/6**	**159/6**	**180/-**	Dozen.

		8	10	12	14	16	Inches.
55	Bright Steel Back	**53/3**	**53/3**	**60/3**	**71/–**	**81/9**	Dozen.
57	Brass Back	**66/–**	**66/–**	**72/9**	**88/9**	—	,,
22	Bright Steel Back	**44/–**	**44/–**	**47/3**	**50/9**	—	,,
199	,, ,, **Goblin** Brand	**37/6**	**37/6**	**40/6**	**44/–**	—	,,

		4	5	6	7	Inches.
154	Brass Back	**16/–**	**18/–**	**20/–**	**22/–**	Dozen.

Boxing : Patterns, 260, 266, 46, 52, 47, 47B and 53, ⅓ dozens. 55, 57, 22, 154 and 199, ½ dozens.
Open Handles on patterns 55, 22, 199 and 57 in 8″ and 10″. Remainder Closed Handles.

SPEARFAST SAWS. 2 Strokes do the work of 3.

Saws with new formation Teeth for Easy Cutting.
The Best Saw for Rough Timber, such as Firelogs, Garden and Fencing Posts, etc.

HANDSAWS

		24	26 inch
E39	Made in two sizes only	**8/3**	**8/6** each

Use a **F45** File for Sharpening ... **1/3** each

FRAME SAWS



		24	30	36 inch
E38	Fitted with Hand Guard and Rubber Grip	**6/6**	**8/6**	**10/–** each
	Spare Webs	**2/6**	**2/9**	**3/3** „

Use a **F46** File for Sharpening ... **1/3** each

PRUNING SAWS

		Fitted with 12	24	30 in. Handles
E41	14″ Blades	**5/–**	**6/–**	**6/–** each

Use a **F45** File for Sharpening ... **1/3** each

"DAWYCK" PRUNING SAWS



An ideal Tree pruner. The Blades can be easily replaced and turned to any angle.

Made to the design of Mr. F. R. S. BALFOUR, V.M.H.

Complete with 2 Webs, Spearfast Tooth (as illustrated) and Ordinary Tooth	**10/6** each
Webs only	**13/6** dozen

SPEARFAST SAWS.

A Revelation in Fast Cutting Log Saws.

ONE-MAN CROSS-CUT SAWS

		3	3½	4 feet
E40	Complete with Supplementary Handle	**12**/–	**13**/–	**14/6** each

Use a **F47** File for Sharpening ... **1/4** each

TWO-MAN CROSS-CUT SAWS

		4	4½	5	5½	6 feet
G20	Straight Back	**17/3**	**19**/–	**20/6**	**22/3**	**25/3** each

Use a **F47** File for Sharpening ... **1/4** each
Handles suitable for Saw **G106** ... **2/6** per pair

TWO-MAN CROSS-CUT SAWS

		4	4½	5	5½	6 feet
G21	Hollow Back	**17**/–	**18/9**	**20/6**	**22/3**	**24**/– each

Use a **F47** File for Sharpening ... **1/4** each
Handles suitable for Saw, **G106** ... **2/6** per pair

FILES

F45	Suitable for Spearfast Handsaws and Pruners	6″ ... **15**/–	dozen
F46	,, ,, ,, Frame Saw	6″ ... **15**/–	,,
F47	,, ,, ,, One or Two-Man Cross-Cut Saws	8″ ... **16**/–	,,



	12	14	16	inch.
221 ...	**44/-**	**45/-**	**46/3**	dozen

221 Grecian Pruning Saws, Pistol Grip, Brass Rivets.

		12	14	16	inch
29	John Cockerill	**25/3**	**26/9**	**28/6**	doz.

Boxed ½ dozens.

29 Compass Saws, Brass Rivets.

	14	16	18	20	inch
27 Mermaid	**46/6**	**49/6**	**52/6**	**55/6**	doz.
44 John Cockerill	**31/6**	**34/6**	**37/6**	**40/6**	,,

Boxed ½ dozens.

27 & 44 Pruning Saws, Single Edge, Warranted Cast Steel, Brass Screws.



	14	16	18	20	inch.
73 Mermaid	**49/6**	**52/6**	**55/6**	**58/6**	doz.
13 John Cockerill	**34/6**	**37/6**	**40/6**	**43/6**	,,

Boxed ½ dozens.

73 & 13 Pruning Saws, Double Edge, Warranted Cast Steel, Brass Screws.



E104... ... ... **22/3** dozen

E104 Pad Saws, Dark Handle complete with 7 inch Blade, Boxed Singly.

		7	8	9	10	11	12	13	14	inch.
161	"Mermaid" Brand, Set and Sharpened. Straw Colour Ground thin to Back ...	**3/6**	**3/9**	**4/-**	**4/3**	**4/6**	**4/9**	**5/-**	**5/3**	dozen
108	"Leapfrog" Cheaper Brand	**2/6**	**2/9**	**3/3**	**3/3**	**3/6**	**3/6**	**3/9**	**3/9**	,,

161 Assorted, 7 to 12 in. ... ... **4/3** dozen.
108 ,, ,, ,, ... **3/3** ,,

102 Large, 8 inch long ... ... **25/3** dozen.
103 Small, 7¼ in. ,, ... **14/6** ,,

Boxed ½ dozens.

102 & 103 Pad Saw Handles.

273

274

275



271 Lever



278 Screw

NESTS OF SAWS.

3 Blades as illustrated in each Nest.

With **Screw Handle.**			With **Lever Handle.**		
269	Mermaid	**71/-**	**277**	Mermaid	**71/-** doz. sets
288	John Cockerill	**38/9**	**287**	John Cockerill	**38/9** ,,
298	Goblin	**24/9**	**299**	Goblin	**24/9** ,,

BLADES ONLY.

		Mermaid.	J.C.	Goblin.	
273	Table or Pruning 18 in.	**26/9**	**15/3**	**9/-**	Dozen.
274	Compass 14 in.	**14/6**	**8/3**	**5/6**	,,
275	Keyhole 10 in.	**10/9**	**6/3**	**4/6**	,,

HANDLES ONLY.

Lever Pattern.			Screw Pattern.		
271	Best Quality	**19/9**	**278**	Best Quality	**19/9** doz.
325	Cheaper ,,	**10/9**	**324**	Cheaper ,,	**10/9** ,,

ONE MAN CROSS-CUT SAWS



WITH SUPPLEMENTARY HANDLE.

200 **Mermaid.** Gt. American, Light Handle, Brass Screws.
202 **John Cockerill.** ,, Black ,, ,,
1202 Cheaper Brand. ,, Light Handle, Black Edges, Brass Rivets.

WITHOUT SUPPLEMENTARY HANDLE.

202W **John Cockerill.** Gt. American, Light Handle, Brass Screws.
205 ,, Peg Tooth Black ,, ,,
1202W Cheaper Brand. Gt. American, Light Handle, Black Edges, Brass Rivets.

SUPPLEMENTARY HANDLES.

153 Best Quality ... **12**/- Dozen.

208

BEECH HANDLES.

Slit and Bored. Complete with Screws.
For Saws up to 3 feet ... **17/3** Dozen.
For Saws 3½ to 5 feet ... **20/6** ,,

Similar to above, **without** Screws.
For Saws up to 3 feet ... **14/3** ,,
For Saws 3½ to 5 feet ... **17/3** ,,

		2	2½	3	3½	4	4½	5	Feet.
200	**With Supplementary Handle** ...	—	**10/9**	**12/-**	**13/-**	**14/6**	**16/-**	**17/9**	Each.
202	,, ,, ,, ...	—	**9/9**	**10/6**	**11/3**	**13/-**	**14/9**	**16/6**	,,
1202	,, ,, ,, ...	**7/-**	**8/-**	**8/6**	**9/6**	—	—	—	,,
202W	**Without** ,, ,, ...	—	**8/9**	**9/6**	**10/3**	**12/-**	**13/9**	**15/6**	,,
205	,, ,, ,, ...	—	**8/6**	—	—	—	—	—	,,
1202W	,, ,, ,, ...	**6/-**	**7/-**	**7/6**	**8/6**	—	—	—	,,

SAW SETS.

137



Hammer Type
Simple, Quick and Efficient.
Instructions for Use contained in each Box
6/– Each.

132



For Cross Cut Saws, etc., with Guard, 12 Gates **4/6** Each.
133 As above, without Guard, 12 Gates ... **3/9** ,,

134



With Brass Guard, 12 Gates ... ... **32/3** Dozen.

135



Turn Screw End Type, 14 Gates ... **23/3** Dozen.

141a

For Circular Saws, Pit Saws, Etc., 6 Gates ... **5/–** Each.



G292a Great American. Parallel Ground.
G292 Peg Tooth. ,, ,,

G482 Peg Tooth, 2 Gauges thin to back.
G13 ,, ,, Parallel Ground.



G502 Champion Tooth, 2 Gauges thin to back.



G515 Ripper Tooth, 5 Gauges thin to back.



G522 Great American, 2 Gauges thin to back.
G15 ,, ,, Parallel Ground.

CROSS CUT SAWS.

	ALL SET AND SHARPENED.	2½	3	3½	4	4½	5	5½	6	6½	7	feet.
G292a	**Gt. American,** Aetna, fitted with two fast tangs	—	**8/3**	**9/9**	**10/9**	**12/3**	**13/-**	**14/3**	**15/9**	—	—	each.
G292	**Peg Tooth,** ,, ,, ,, ,, ,, ,,	—	**6/6**	**7/6**	**8/6**	**9/9**	**10/9**	**12/3**	**13/6**	—	—	,,
G482	,, ,, Mermaid, fitted with 1 fast and 1 loose tang	—	**12/-**	**13/-**	**14/-**	**16/-**	**19/3**	**20/3**	**23/3**	**25/6**	**27/9**	,,
G13	,, ,, Aetna, ,, ,, 2 ,, tangs.	**5/9**	**6/6**	**7/6**	**8/6**	**9/9**	**10/9**	**12/3**	**13/6**	—	—	,,
G502	**Champion Tooth,** Mermaid, fitted with 1 fast & 1 loose tang	—	—	—	**14/9**	**17/-**	**20/6**	**21/6**	**25/3**	**27/6**	**30/-**	,,
G515	**Ripper,** Mermaid, without tangs, suitable for G106 Handles	—	—	—	**17/3**	**19/-**	**20/6**	**22/3**	**25/3**	**27/6**	**30/-**	,,
G522	**Gt. American,** Mermaid, fitted with 1 fast & 1 loose tang	—	**12/6**	**13/9**	**14/9**	**17/-**	**20/6**	**21/6**	**25/3**	**27/6**	**30/-**	,,
G15	,, Aetna, ,, ,, 2 ,, tangs.	—	**8/3**	**9/9**	**10/9**	**12/3**	**13/-**	**14/3**	**15/9**	—	—	,,

No allowance for Tangs if not supplied.



G23 Lance Tooth, 2 gauges thin to back.
G27 Zipper Tooth, 3 gauges thin to back.

G24 Champion Tooth, 2 gauges thin to back.

G25 Great American, 2 Gauges thin to back.

HOLLOW BACK CROSS-CUT SAWS

ALL SET & SHARPENED	3½	4	4½	5	5½	6	6½	7	Feet.
G23 Lance, Mermaid, 3½ in. wide, all sizes, without tangs ...	**10/3**	**11/6**	**13/-**	**14/6**	**16/-**	**17/6**	**20/3**	**22/6**	Each
G27 Zipper, ,, without tangs	**15/6**	**17/-**	**18/9**	**20/6**	**22/3**	**24/-**	**26/6**	**29/3**	,,
G24 Champion Tooth, Mermaid, without tangs	**10/3**	**11/6**	**13/-**	**14/6**	**16/-**	**17/6**	—	—	,,
G25 Gt. American, ,, 3½ in. wide, all sizes, without tangs	**10/3**	**11/6**	**13/-**	**14/6**	**16/-**	**17/6**	—	—	,,

Any of the above can be fitted with **G106** Handles at **2/6** per saw extra.

HANDLES

G106



G107

G106 Climax Pattern, Reversible Handle, 13½ in. long ... ... **2/6** per pair.
G107 Plain Ash Handles for fast or movable tangs, 13 in. long ... **1/3** ,,

TANGS or TABS

G99

G100

G99 Loose tangs ... ... **2/3** per pair.
G100 Fast ,, ... **1/6** ,,

GRAPHOL

A good penetrating Lubricant for all Household purposes.

Supplied in 4 sizes :—

Household Tins - **1/6** each
½ Pint ,, - **2/10** ,,
1 ,, ,, - **4/6** ,,
1 Gallon ,, - **27/-** ,,



33 14 34 15 35 36 37

BUTCHERS' BOW SAWS.

33 **Thumbscrew.** Warranted Best Cast Steel. Unpolished Handle, Brass Screws.
34 **Riveted.** ,, ,, ,, ,, ,, ,,
35 **Smithfield.** ,, ,, ,, ,, ,, ,,
35S **Stainless,** as No. 35 but Stainless Web and Frame, White Sprayed Handle
35W As No. 35 but with Stainless Web.
36 **Kitchen.** Warranted Best Cast Steel. White Cellulosed Handle, Nickel-plated Screws.
37 **Household.** Cast Steel. Light Polished Handle, Steel Wood Screws.

PRICES AND SIZES STOCKED.

		14	16	18	20	22	24	Inches.
	Width of Blades	1¼	1¼	1¼	1¾	1¾	1¾	,,
33	Mermaid	**88/6**	**92/-**	**95/6**	**106/3**	**113/9**	**117/-**	Dozen.
14	Cheaper Quality	**81/9**	**85/3**	**88/9**	—	—	—	,,
34	Mermaid	**74/6**	**75/3**	**81/9**	**88/9**	**92/-**	**103/-**	,,
15	Cheaper Quality	**69/3**	**72/9**	**76/3**	—	—	—	,,
35	Mermaid ,, ...	**67/6**	**71/-**	**74/3**	**81/9**	**85/3**	**88/9**	,,
35S	**Stainless,** As No. 35, but Stainless Web and Frame White Sprayed Handle	**148/6**	**158/6**	**168/3**	**178/3**	—	—	,,
35W	As No. 35 but with **Stainless Web**	**89/-**	**95/9**	**102/3**	**109/-**	—	—	,,

36 Leapfrog. 14 in. x 1 in. Blades ... **64/-** Dozen.
37 John Cockerill. 14 in. x ⅝ in. ,, ... **35/6** ,,

BUTCHERS' WEBS.

370

		14	16	18	20	22	24	Inches.
	Length	14	16	18	20	22	24	,,
	Width	1¼	1¼	1¼	1¾	1¾	1¾	
	Gauge	23	23	23	21	21	21	
	No. of Points	11	11	11	9	9	9	
370	Mermaid. Warranted to Cut Frozen Bone ...	**14/6**	**16/-**	**19/9**	**21/6**	**23/3**	**25/-**	Dozen.
371	Cheaper Brand. Warranted Quality	**11/6**	**12/6**	**15/3**	**16/9**	**17/9**	**19/6**	,,

Boxing. Patterns 33, 14, 34, 15, and 35, ⅓ dozens. Nos. 36 and 37, ½ dozens.

Solid Tooth Circular Saws.

Suitable for Wood. Set and Sharpened ready for use.

FOR RIPPING.

1A For small Circular Saws.

13 For moderately Hardwood.



13A For Hardwood and general purposes.



20 Square Bottom Gullet Tooth.

FOR CROSS CUTTING.



2A For Softwoods.

When ordering Circular Saws these particulars should be given:

(*a*) Diameter.

(*b*) Gauge at centre and gauge on tooth.

(*c*) Full particulars of centre hole, with size and distance apart of pin holes, keyway, etc. (this is best done by sending rubbing or tracing from old saw).

(*d*) Distance from tooth to tooth or number of teeth wanted in saw.

(*e*) Shape of tooth; if not one of the patterns illustrated send rubbing or tracing.

We allow a maximum of thickness of one gauge stronger than ordinary without extra charge, **Mermaid Brand only.**

Larger sizes supplied. Prices on Application.



Diameter inches	Thickness. Stub's W.G.	Standard Size of Hole. ins.	Revs. per Min.	PRICE EACH	Extra for each Gauge stronger
4	21	½	9780	**4/6**	**3**d.
6	20	½	7520	**7**/-	**6**d.
8	19	⅝	4600	**9/6**	**9**d.
10	18	⅝	3920	**13**/-	**9**d.
12	17	¾	3260	**16**/-	**1/3**
14	17	¾	2855	**20**/-	**1/6**
16	16	¾	2450	**24**/-	**1/9**
18	15	1	2205	**30**/-	**2**/-
20	14	1	1960	**36**/-	**2/6**
22	14	1	1795	**42**/-	**3**/-
24	13	1¼	1630	**48**/-	**3/6**
26	13	1¼	1400	**56**/-	**4**/-
28	13	1¼	1345	**66**/-	**4/6**
30	12	1¼	1285	**76**/-	**5**/-
32	12	1½	1225	**88**/-	**6**/-
34	12	1½	1150	**104**/-	**7**/-
36	11	1½	1080	**120**/-	**8/6**
38	11	1½	1030	**145**/-	**10**/-
40	11	1¾	980	**160**/-	**12**/-
42	10	1¾	935	**180**/-	**15**/-
44	10	1¾	890	**215**/-	**18**/-
46	9	1¾	850	**240**/-	**21**/-
48	9	1¾	815	**270**/-	**24**/-
50	8	2	765	**380**/-	**27**/-
52	8	2	720	**420**/-	**30**/-
54	7	2	710	**480**/-	**35**/-
56	7	2	700	**570**/-	**40**/-
58	7	2	670	**620**/-	**45**/-
60	6	2	640	**680**/-	**50**/-



110



245

TURNING FRAMES

		10	12	14	16	Inches.
110	Cord Stretcher complete with Web	**7/6**	**8/3**	**9/–**	**10/9**	Each.
245	Wire ,, ,, ,, ,, ...	**8/3**	**9/3**	**10/3**	**12/3**	,,
112	Webs only, Ground thin to Back, Set and Sharpened	**4/–**	**4/9**	**5/6**	**6/3**	Dozen.



BUCK SAWS

164	Leapfrog, Handsaw Tooth, Complete with 30 in. x 2 in. wide Web, Set and Sharpened ...	**6/9**	Each.
165	,, Lightning ,, ,, ,, ,, ,, ,, ...	**7/9**	,,
166	,, American ,, ,, ,, ,, ,, ,, ...	**7/9**	,,
Webs only :—			
168	Leapfrog, Handsaw Tooth, 30 in. x 2 in. wide, Set and Sharpened	**23/3**	Dozen.
169	,, Lightning ,, ,, ,, ,, ...	**33/9**	,,
170	,, American ,, ,, ,, ,, ...	**33/9**	,,

JOINER'S SCRAPERS

		4 x 2½	5 x 2½	6 x 3 ins.	
450	Warranted Quality, Bright ...	**6/6**			Dozen.
460	Extra Quality, Straw Colour ...	**8/–**			,,
470	Flexible Silver Steel, 4½ in. x 2¼ in. x 22 or 24 gauge				**9/6** Dozen.
	5 in. x 2¼ in. x 22 or 24 gauge				

PAINT SCRAPERS

E454 Made from Saw Steel.
7/3 Dozen.

SAW HANDLES AND SCREWS

HANDSAWS.

For Pattern	Slit, not Bored	Slit, and Bored	Complete with Screws
171	**39/9**	**40/9**	**50/6** Dozen.
88 and 82	**31/–**	**32/–**	**42/9** ,,
25 ,, 24	**24/9**	**25/9**	**33/–** ,,
179 ,, 62	**21/6**	**22/6**	**27/6** ,,
60 ,, 66	**14/3**	**15/–**	**17/9** ,,
99 ,, 100	**12/9**	**13/6**	**17/–** ,,

BACKSAWS.

For Pattern	Slit, not Bored	Slit, and Bored	Complete with Screws
260 and 266	**37/–**	**37/9**	**45/3** Dozen.
46 ,, 52	**26/9**	**27/3**	**32/–** ,,
47 ,, 53	**21/6**	**22/6**	**26/9** ,,
55, 22 and 199	**16/–**	**16/9**	**19/6** ,,

Prices of Handles for our other Patterns on application.



115 (Size 2)
Raised Screw.



235
Mushroom Head.

116
Brass Head, Steel Thread.

117
Ordinary Flat Screw.

		Size No. 1	2	3	
115	Brass	**21/–**	**22/6**	—	Gross.
235	Mushroom Head, Nickel-Plated	**14/3**	—	—	,,
116	Mushroom Head, Brass	**15/9**	—	—	,,
117	Ordinary Flat, Brass	**23/3**	**27/–**	**28/6**	,,

NARROW BANDSAWS, FOR WOOD.

Mermaid Brand, Extra Cast Steel. Brazed Set and Sharpened ready for Use.

Width : inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$
Width : m/m	6	10	12	15	20	22	25	32	35	38	40	45	50	55	65	70
Standard Gauges	22	22	22	23	21	21	21	20	20	20	20	20	21	21	19	19
	21	21.	21	22.	20	20	20	18.	18.	18.	19.	19.	20	19.		
	20.	20	20	21.	19.	19.	19.						19.			
Standard number of points to the inch :	7	7	6	$5\frac{1}{2}$	5	$4\frac{3}{4}$	$4\frac{1}{2}$	$4\frac{1}{2}$	4	4	$\frac{1}{2}''$	$\frac{1}{2}''$	$\frac{5}{8}''$	$\frac{3}{4}''$	$\frac{7}{8}''$	$\frac{7}{8}''$
											pitch					
Price per yard :—	**1/2**	**1/2**	**1/4**	**1/6**	**1/8**	**1/10**	**2/-**	**2/8**	**3/-**	**3/4**	**3/8**	**4/-**	**4/8**	**5/-**	**5/6**	**6/2**

Saws one or two gauges thinner than standard without extra charge.
Saws more than one gauge thicker than standard charged 5% Extra per gauge.
Odd inches in length charged as one foot.
Saws brazed, set and sharpened **if less than 12ft. long, charged as 12ft.**

SAW HANDLES AND SCREWS

HANDSAWS.

For Pattern	Slit, not Bored	Slit, and Bored	Complete with Screws
171	**39/9**	**40/9**	**50/6** Dozen.
88 and 82	**31/–**	**32/–**	**42/9** ,,
25 ,, 24	**24/9**	**25/9**	**33/–** ,,
179 ,, 62	**21/6**	**22/6**	**27/6** ,,
60 ,, 66	**14/3**	**15/–**	**17/9** ,,
99 ,, 100	**12/9**	**13/6**	**17/–** ,,

BACKSAWS.

For Pattern	Slit, not Bored	Slit, and Bored	Complete with Screws
260 and 266	**37/–**	**37/9**	**45/3** Dozen.
46 ,, 52	**26/9**	**27/3**	**32/–** ,,
47 ,, 53	**21/6**	**22/6**	**26/9** ,,
55, 22 and 199	**16/–**	**16/9**	**19/6** ,,

Prices of Handles for our other Patterns on application.



115 (Size 2)
Raised Screw.



235
Mushroom Head.

116
Brass Head, Steel Thread.

117
Ordinary Flat Screw.

		Size No. 1	2	3	
115	Brass	**21/–**	**22/6**	—	Gross.
235	Mushroom Head, Nickel-Plated	**14/3**	—	—	,,
116	Mushroom Head, Brass	**15/9**	—	—	,,
117	Ordinary Flat, Brass	**23/3**	**27/–**	**28/6**	,,

NARROW BANDSAWS, FOR WOOD.

Mermaid Brand, Extra Cast Steel. Brazed Set and Sharpened ready for Use.

Width : inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$
Width : m/m	6	10	12	15	20	22	25	32	35	38	40	45	50	55	65	70
Standard Gauges	22	22	22	23	21	21	21	20	20	20	20	20	21	21	19	19
	21	21.	21	22.	20	20	20	18.	18.	18.	19.	19.	20	19.		
	20.	20	20	21.	19.	19.	19.						19.			
Standard number of points to the inch :	7	7	6	$5\frac{1}{2}$	5	$4\frac{3}{4}$	$4\frac{1}{2}$	$4\frac{1}{2}$	4	4	$\frac{1}{2}''$	$\frac{1}{2}''$	$\frac{5}{8}''$	$\frac{3}{4}''$	$\frac{7}{8}''$	$\frac{7}{8}''$
											pitch					
Price per yard :—	**1/2**	**1/2**	**1/4**	**1/6**	**1/8**	**1/10**	**2/-**	**2/8**	**3/-**	**3/4**	**3/8**	**4/-**	**4/8**	**5/-**	**5/6**	**6/2**

Saws one or two gauges thinner than standard without extra charge.
Saws more than one gauge thicker than standard charged 5% Extra per gauge.
Odd inches in length charged as one foot.
Saws brazed, set and sharpened **if less than 12ft. long, charged as 12ft.**

Solid Tooth Circular Saws.

Suitable for Wood. Set and Sharpened ready for use.

FOR RIPPING.

1A For small Circular Saws.

13 For moderately Hardwood.



13A For Hardwood and general purposes.



20 Square Bottom Gullet Tooth.

FOR CROSS CUTTING.

2A For Softwoods.

When ordering Circular Saws these particulars should be given:

(*a*) Diameter.

(*b*) Gauge at centre and gauge on tooth.

(*c*) Full particulars of centre hole, with size and distance apart of pin holes, keyway, etc. (this is best done by sending rubbing or tracing from old saw).

(*d*) Distance from tooth to tooth or number of teeth wanted in saw.

(*e*) Shape of tooth; if not one of the patterns illustrated send rubbing or tracing.

We allow a maximum of thickness of one gauge stronger than ordinary without extra charge, **Mermaid Brand only.**

Larger sizes supplied. Prices on Application.



Diameter inches	Thickness. Stub's W.G.	Standard Size of Hole. ins.	Revs. per Min.	PRICE EACH	Extra for each Gauge stronger
4	21	½	9780	**4/6**	**3**d.
6	20	½	7520	**7**/-	**6**d.
8	19	⅝	4600	**9/6**	**9**d.
10	18	⅝	3920	**13**/-	**9**d.
12	17	¾	3260	**16**/-	**1/3**
14	17	¾	2855	**20**/-	**1/6**
16	16	¾	2450	**24**/-	**1/9**
18	15	1	2205	**30**/-	**2**/-
20	14	1	1960	**36**/-	**2/6**
22	14	1	1795	**42**/-	**3**/-
24	13	1¼	1630	**48**/-	**3/6**
26	13	1¼	1400	**56**/-	**4**/-
28	13	1¼	1345	**66**/-	**4/6**
30	12	1¼	1285	**76**/-	**5**/-
32	12	1½	1225	**88**/-	**6**/-
34	12	1½	1150	**104**/-	**7**/-
36	11	1½	1080	**120**/-	**8/6**
38	11	1½	1030	**145**/-	**10**/-
40	11	1¾	980	**160**/-	**12**/-
42	10	1¾	935	**180**/-	**15**/-
44	10	1¾	890	**215**/-	**18**/-
46	9	1¾	850	**240**/-	**21**/-
48	9	1¾	815	**270**/-	**24**/-
50	8	2	765	**380**/-	**27**/-
52	8	2	720	**420**/-	**30**/-
54	7	2	710	**480**/-	**35**/-
56	7	2	700	**570**/-	**40**/-
58	7	2	670	**620**/-	**45**/-
60	6	2	640	**680**/-	**50**/-

"YELLOW TIP" HACKSAW BLADES. TUNGSTEN STEEL

MADE IN TWO TYPES.

"NEVERBREAK" (Spring Back)

"SPEARIOR" (All Hard)



Unless otherwise specified Hand blades are supplied **"NEVERBREAK"** And Power Blades **"ALL HARD"**

"NEVERBREAK" BLADES WILL STAND THIS TEST.

HAND BLADES "Neverbreak" Quality, (Spring Back)

Length	Width	Thickness	TEETH PER INCH: Mild Steel Cast Iron & General Use	Tool Steel	Brass	Thin Tubing and Sheet	List Prices per Gross
In.	In.	Gauge					
8	7/16	23	14	18	22	32	**£1 13 4**
8	1/2	23	14	18	22	32	
9	1/2	23	14	18	22	32	**1 17 6**
10	1/2	23	14	18	22	32	**2 1 8**
11	1/2	23	14	18	22	32	**2 5 10**
12	1/2	23	14	18	22	32	**2 10 0**
12	9/16	23	14	18	22	32	**2 16 3**

Packed 3 dozen in a Box.

LIGHT POWER "Spearior" Quality, (All Hard)

Length	Width	Thickness	TEETH PER INCH				List Prices per Gross
In.	In.	Gauge					
12	9/16	22	14	18	22	32	**£2 18 6**
12	5/8	22	14	18	22	32	**3 5 0**
12	5/8	21	14	18	22	...	**3 7 6**
12	3/4	21	14	18	22	...	**4 1 0**
14	9/16	22	14	18	22	32	**3 8 3**
14	3/4	21	14	18	22	...	**4 14 6**
16	3/4	21	14	18	22	...	**5 8 0**

Packed 3 dozen in a Box.

HEAVY POWER "Spearior" Quality, (All Hard)

Length	Width	Thickness	Teeth per Inch	List Prices per Gross
In.	In.	Gauge		
12	1	18	10	**£6 16 0**
14	1	18	10	**7 18 8**
16	1	18	10	**9 1 4**
17	1	18	10	**9 12 8**
17	1	16	10	**11 18 0**

Packed 3 dozen in a Box.

DOUBLE EDGE "Spearior" Quality, (All Hard)

Length	Width	Thickness	Teeth per Inch	List Prices per Gross
In.	In.	Gauge		
9	1	21	22	**£4 1 0**
10	1	21	22	**4 10 0**
12	1	21	22	**5 8 0**
14	1	21	22	**6 6 0**

Packed 3 dozen in a Box.

"YELLOW TIP" HACKSAW BLADES. HIGH SPEED STEEL.

HEAVY POWER. Spearior Quality, All Hard. 3 dozen in a Box.

Length	Width	Thickness	TEETH PER INCH				List Prices per Gross		
In.	In.	Gauge							
12	¾	18	...	...	10	14	£20	8	0
12	1	18	...	...	10	14	27	4	0
14	¾	18	...	...	10	14	23	16	0
14	1	18	...	...	10	14	31	14	8
14	1	16	...	6	10	...	39	4	0
14	1¼	16	4	6	10	...	49	0	0
16	1	18	...	...	10	14	36	5	4
16	1	16	...	6	10	...	44	16	0
17	1	18	...	...	10	14	38	10	8
17	1	16	...	6	10	...	47	12	0
18	1¼	16	4	6	10	...	63	0	0
18	1½	16	4	6	10	...	75	12	0
18	1¼	14	4	6	...	...	81	0	0

FULL LIST ON APPLICATION.

HACKSAW FRAMES.

329



329 "John Best" Extending Frame, Complete with 9" Blade, Boxed ½ dozens.... ... ... **15/-** doz.

327



327 "John Best" Extending Frame, Pistol Grip, complete with 9" Blade, Boxed ½ dozens, ... **24/-** doz.

326



326 "John Cockerill" Extending Frame, Pistol Grip, complete with 9" Blade. Boxed singly ... **36/-** doz.

SAW FILES

"MERMAID" Brand. Best Cast Steel. Full weight.



F122 MILL SAW.

		8	10	12 inch.
F122	One round edge, Bastard, single cut	**14**/-	**18**/-	**25**/- dozen.
	Two ,, ,, ,, ...	**16**/-	**20**/-	**27**/- ,,

F142 CROSSCUT SAW.

		6	8	9	10 inch.
F142	Second cut, single cut	**19**/–	**21**/-	**24**/-	**28**/- dozen.

F50 TAPER SAW.

		To 4	4½	5	5½	6	7	8	9	10 inch.
F50	Taper, second cut, single cut ...	**7**/-	**8**/-	**9**/-	**10**/-	**11**/-	**13**/-	**16**/-	**20**/-	**24**/- dozen.

F53 BAND SAW.

		4	5	6	7	8	10 inch.
F53	Three square taper, second cut, single	**9**/-	**11**/-	**14**/-	**17**/-	**20**/-	**29**/- dozen.

F60 DOUBLE END TAPER SAW.

N.B.—An 8 in. double end file is the equivalent of two 4 in. ordinary taper files. **Handles included.**

	7	8	9	10 inch.
F60	**12**/-	**13**/-	**15**/-	**17**/- Dozen.

ENGINEERS' FILES



F120 FLAT FILE.



F147 HAND FILE.

	F120 FLAT			F126 ROUND			F123 SQUARE		
Ins.	Bastard	2nd cut	Smooth	Bastard	2nd cut	Smooth	Bastard	2nd cut	Smooth
4	9/-	10/-	12/-	8/-	9/-	11/-	9/-	11/-	13/- doz
6	11/-	12/-	14/-	10/-	11/-	13/-	11/-	12/-	14/- ,,
8	15/-	16/-	19/-	13/-	15/-	17/-	13/-	15/-	18/- ,,
10	20/-	22/-	26/-	16/-	19/-	22/-	17/-	20/-	23/- ,,
12	27/-	30/-	35/-	22/-	26/-	29/-	24/-	27/-	33/- ,,
14	36/-	39/-	46/-	30/-	35/-	39/-	32/-	35/-	41/- ,,
16	46/-	52/-	60/-	45/-	49/-	56/-	45/-	51/-	59/- ,,
	F147 HAND			**F125 HALF ROUND**			**F127 THREE SQUARE**		
4	9/-	10/-	12/-	11/-	13/-	14/-	9/-	11/-	12/- ,,
6	11/-	12/-	14/-	14/-	15/-	17/-	12/-	14/-	16/- ,,
8	15/-	16/-	19/-	17/-	19/-	22/-	16/-	17/-	20/- ,,
10	20/-	22/-	26/-	21/-	24/-	29/-	21/-	25/-	29/- ,,
12	27/-	30/-	35/-	28/-	32/-	38/-	29/-	34/-	40/- ,,
14	36/-	39/-	46/-	38/-	43/-	50/-	38/-	45/-	53/- ,,
16	46/-	52/-	60/-	52/-	58/-	66/-	52/-	60/-	70/- ,,



	FARMERS'	6	8	inches.
F9	Farmers'	9/-	11/3	dozen.
F4	Reaper, single or double cut, wood handle	—	12/-	,,
F5	,, ,, ,, ,, solid ,, ...	—	10/6	,,

For other pattern Files, see our Special File List.

PLIERS, PINCERS & WING COMPASSES.



D1301 & D472

		6	7	8	inch.
D1301	Combination Pliers, side and joint cutter Turnscrew and Rimer End and Burner Hole	**16/6**	**25/–**	**31/–**	doz.
D472	Combination Pliers, celluloid insulated, side and joint cutter. Burner Hole ...	**30/–**	**39/9**	—	,,



D910

D910 Scotch Gas Pliers, Joint cutter, Turnscrew and Rimer End, 8 in. only, **39/6** doz.



D1303

D1303 Milliners Pliers, All Bright, flat nose, 4½in. only ... **24/–** doz.



D1304 & D1305

D1304 Radio Pliers, Side cutter, Bright Jaws, 5½in. only ... **15/6** doz.

D1305 Radio Pliers, Insulated, Black Handles, Side cutter, Bright Jaws, 5½in. only **25/–** ,,



D466 & D468

		4½	5	5½	6	inch
D466	Flat Nose Pliers, Box Joint, Bright Jaws	**28/6**	**28/6**	**33/9**	**42/6**	doz.
D468	Round ,, ,, ,, ,,	**28/6**	**28/6**	**33/9**	**42/6**	,,



D1306

D1306 Wire Netting Nippers, 6in. only ... ... **24/6** doz.



D459

		6	7	8	inch.
D459	Tower Pincers, Ball and Claw End ...	**18/–**	**21/–**	**27/–**	doz.

D479

		7	8	9	inch.
D479	Wing Compasses, Black, Lancashire Pattern	**54/6**	**61/–**	**72/–**	doz.

CHISELS

"Bottle Neck" Handle

Firmer Chisels. "Mermaid" Brand, Cast Steel.

	To	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	2	inch
D1	Unhandled	7/3	8/–	9/3	10/–	10/9	12/9	14/3	16/6	18/3	20/–	22/6	25/–	27/3	33/3	dozen
D3 **D4**	Ash or Beech } Bottle Neck Carving	11/3	12/3	13/6	14/3	15/–	16/6	18/3	21/3	23/–	25/–	27/3	30/9	33/3	39/–	,,
D6	Box. Carving ...	14/3	15/–	16/3	17/3	18/–	20/–	21/6	25/–	26/6	28/3	30/9	34/–	36/6	42/3	,,
D7	Box. London Octagon	15/9	16/6	18/–	18/9	19/6	21/6	23/6	26/6	28/3	30/9	33/3	36/6	39/–	44/9	,,

"Carving" Handle

Firmer Chisels. Bevelled Edge "Mermaid" Brand, Cast Steel.

	To	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	2	inch
D10	Unhandled	13/9	14/6	15/9	16/6	17/6	19/3	20/9	26/6	28/3	30/–	32/3	38/–	40/9	46/6	dozen
D12 **D13**	Ash or Beech } Bottle Neck Carving	18/–	18/9	20/–	20/9	21/6	23/6	25/–	31/3	32/9	34/9	37/3	44/–	46/6	52/3	,,
D15	Box. Carving ...	20/9	21/6	22/9	23/9	24/6	26/6	28/3	34/6	36/–	38/–	40/9	47/3	49/9	55/6	,,
D16	Box. London Octagon	22/3	23/6	24/6	25/3	26/3	28/3	30/–	36/–	37/9	40/9	43/–	49/9	52/3	58/–	,,

Registered Chisels. "Mermaid" Brand, Cast Steel, Polished Ash Handles and Bright Iron Hoops

	To	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	2	inch
D17	Handled	20/–	20/3	20/9	22/–	24/3	26/3	31/–	32/9	35/6	36/6	38/9	41/9	45/3	50/3	dozen
D18	Unhandled ...	11/6	12/3	12/9	13/9	15/6	17/6	22/3	23/9	25/–	27/–	29/3	32/3	35/9	40/9	,,

GOUGES

"London Octagon" Handle

Firmer Gouges. "Mermaid" Brand, Cast Steel. Unless otherwise specified, Sweep "C" always sent.

	To	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	2	inch
D19	Unhandled	8/9	9/9	10/9	11/6	13/–	14/6	16/3	19/3	21/6	23/3	26/6	29/3	32/3	40/–	dozen
D21 **D22**	Ash or Beech } Bottle Neck Carving	13/–	13/9	15/–	15/9	17/3	18/9	20/3	23/9	26/3	28/3	31/6	34/9	38/–	45/9	,,
D24	Box. Carving ...	15/9	16/6	18/–	18/9	20/–	22/–	23/9	27/–	29/6	31/6	34/9	38/–	41/6	49/–	,,
D25	Box. London Octagon	17/6	18/6	19/6	20/3	21/6	23/9	25/3	28/9	31/–	34/–	37/3	40/9	43/9	51/6	,,

Cannelled inside to 1 inch, 3d.; above, 6d. per dozen extra.

The "ODD JOB" STANDARD REPAIR OUTFIT

The " ODD-JOB " Household Repair Outfit is planned for the house-holder who, wisely, attends to minor repairs himself.

In every house there are a dozen jobs a week which the average man can put right at once—if he has the necessary tools and materials handy.

This is what the " ODD-JOB " outfit is intended for—it is a small, carefully selected set of well-made tools (not toys) collected together in one handsome carrying case, together with a very complete assortment of nails, screws, washers, and similar small fitments.

The " ODD-JOB " Major Outfit, see next page, contains additional tools, a rather wider selection of sundries, and in addition, the wonderful Spear & Jackson " ODD-JOB " All Purposes handsaw, which will cut wood, wire, bolts, nails, iron, brass, fibre or any soft metal, efficiently combining the functions of several different kinds of saw.

The "ODD JOB" Standard Outfit.

IN A HANDSOME CARRYING CASE

COMPLETE WITH

A full assortment of nails, screws, washers, rivets, fuse wire, picture wire, sand and emery paper, etc.

ASSORTMENT OF TOOLS, Etc.

(Standard Outfit)

Hammer, drop-forged, bright head.
Pliers, combination.
Turnscrew, large, hardened blade.
Turnscrew, electrician's insulated handle.
Bradawl, Gimlet, Oil-can, Tube of Glue.
Full assortment of Nails, Screws, Tacks, Hooks & Eyes, Staples, Insulating Tape, Sand and Emery Paper, Tape Measure, Picture Wire, Fuse Wire.

PRICE

15/-

PER SET.

ESTABLISHED 1774 **Spear & Jackson Ltd.** OVER 160 YEARS AGO

AETNA WORKS SHEFFIELD

The "ODD JOB" MAJOR REPAIR OUTFIT

ASSORTMENT OF TOOLS, Etc.

(Major Outfit).

Special "All-Purposes" Handsaw.
Hammer, drop-forged, Bright Head.
Pliers, combination.
Turnscrew, large hardened blade.
Turnscrew, Electrician's, insulated handle.
Bradawl, Scraper, File, half-round, Gimlet, Oil-can, Set of Wallplugs, Tube of Glue.
Full assortment of Nails, Carpet Nails, Screws, Tacks, Hooks & Eyes, Drawing Pins, Staples, Cotter Pins, Washers for Hot and Cold Taps, Bifurcated Rivets, Insulating Tape, Washers (sundry), Picture Wire, Fuse Wire, Sand and Emery Paper, Tape Measure.

PRICE

25/-

PER SET.

ADJUSTABLE IRON PLANES

"MERMAID" BRAND.
Extra Thin Iron,
Made from Tungsten
Steel. Lever Cap and
Small Screw Nickel Plated



End and Side Adjustment
of Cutter.
Rosewood Handle
and Knob.
All Parts Interchangeable

D635 Smooth Planes, made in one size only, 9"×2" Cutter ... ... **12**/- each.

PLANE IRONS

D179a



D179



D636



D180

		1¾	2	2⅛	2¼	2⅜	2½ inches.
D179a	Mermaid Brand, Extra thin, All Bright, Suitable for Metal Plane (Patt. D635)	**21/6**	**23/-**	**25/–**	**26/6**	**28/3**	**30/–** dozen
D636	,, ,, Double Irons, complete with Screws and Nuts ...	**37/–**	**40/6**	**42/–**	**44/3**	**47/9**	**50/–** ,,
D637	,, ,, Top Irons	**16/–**	**16/–**	**17/3**	**18/6**	**19/3**	**20/3** ,,
D179	,, ,, Single Cut, Half Bright. extra Cast Steel Face ...	**16/–**	**18/3**	**19/3**	**21/9**	**24/3**	**25/6** ,,
D180	,, ,, Double Irons, complete with Screws and Nuts ...	**30/6**	**33/6**	**35/–**	**38/9**	**42/3**	**45/–** ,,
D181	,, ,, Top Irons	**11/3**	**12/6**	**12/9**	**13/9**	**15/–**	**16/3** ,,

SPOKESHAVES

D367

D369



D256



D634

		Length of Cutting Edge Up to	2½	3	3½	4 inches.
D367	Beech, Polished		**19/-**	**22/-**	**25/3**	**28/4** dozen.
D368	Box ,, ...		**30/-**	**33/3**	**39/6**	**47/3** ,,
D369	Beech, ,, and Plated		**25/3**	**28/4**	**33/3**	**39/6** ,,
D256	Beech, round tang		**15/9**	**19/-**	—	— ,,
D634	Metal Type, with 1¾" Iron	**14/3** dozen.				

"NEVERBLUNT" HATCHETS AND AXES



	Nos.	1	2	3	4	5	
	Length of Handle	14	15	16	16	17	inch.
	Weight of Head. Approx.	24	26	28	30	32	ozs.
D108	**D108 Kent.** Waxed Handle	**42**/–	**44**/–	**46**/–	**50**/–	**54**/–	Dozen.

D111 Household. Shape as D108. No. 2, 14in. Handle, 1¼ lb. Head (not Neverblunt) **30**/– Dozen.
No. 3, 15in. ,, 1½ lb. ,, ,, ,, **33**/– ,,

D132

	Weight	2	2½	3	3½	4	4½	5	lbs.
	Handles	18	20	22	24	24	26	26	inch.
D132	"**Kent,**" Bright and Blacked, **Handled**	**69/3**	**79/9**	**88/6**	**98/9**	**109/3**	**125/9**	**138/9**	Dozen.
D133	,, Self Colour ,,	**66**/–	**73/9**	**85**/–	**97**/–	**106**/–	**123/3**	**135/3**	,,
D120	"**Kent,**" Bright and Blacked, **Unhandled**	**52**/–	**62/6**	**73**/–	**83/6**	**93/6**	**104**/–	**114/6**	,,
D121	,, Self Colour ,,	**48/9**	**59**/–	**69/3**	**79/9**	**90/3**	**100/9**	**111**/–	,,

	Nos.	0	1	2	3	
	Length of Handle	14	16	17	17	inch.
	Weight of Head	16	24	28	32	oz.
D116 Hunters. Gilt, Waxed Handle		**45**/-	**55**/–	**57**/–	**60**/–	Dozen.



D1014

"**Quarter**" Axe, 2 lb. Head with 24in. Hickory Shaft ... ... **66**/- Doz.
"**Half**" Axe, 2¼ lb. Head, with 26in. Hickory Shaft ... ... **69**/- ,,
"**Three-quarter**" Axe, 2¾ lb. Head, with 27in. Hickory Shaft ... ... **72**/- ,,



D1001

	Weight of Heads	3½	4	4½	5	5½	6	6½	7	lbs.
D1001	"**Wedge**" Felling, Best Cast Steel, Gilt, with 36in. Hickory Shafts ...	**96**/–	**102**/–	**106**/–	**112**/-	**115**/-	**118**/–	**125**/–	**132**/–	Dozen.
D1009	**Handles only.** 36in. Best Quality **31/6**, Second Quality **25/3** Dozen.									
D1002	"**Kent**" Felling. Bright and Black, **Heads only...**				**117/9**	**131/9**	**145/6**	**159/6**	—	,,
D1003	As above Handled with 36in. Extra Quality Handles				**152/9**	**166/6**	**180/3**	**194**/–	—	,,

D1002

D1007

D117A

	Approx. Weight per Dozen	24	36	48	60	72	84	lbs.
	Length	5	6	7	8	9	10	inch.
D1007	**Wood Splitting Wedges.** Self Colour, Ground on Points	**60**/–	**60**/–	**60**/–	**60**/–	**60**/–	**60**/–	Cwt.
		13/–	**19/6**	**26**/–	**32**/–	**39**/–	**45**/–	Dozen.

D117A "**Neverblunt**" **Household Stick Chopper.** Bright and Black, through Tang, 7½in. x 2½in. Deep **22**/- Dozen
D555 "**John Cockerill**" ,, ,, ,, 7in. on Cut. ... ... **12/9** ,,

"NEVERFAIL" BUTCHERS' TOOLS



The temper of every "Neverfail" Cleaver and Chopper is tested by a hard blow on an iron bar and the illustration shows the cuts made by "Neverfail" Cleavers in testing, ably demonstrating the severity of the test.

No cleaver or chopper which fails to withstand it being offered for sale.

Should you make this test yourself, take care to deliver a perfectly straight blow, and avoid wrenching the blade in the cut, as highly tempered steel such as is used in the manufacture of these tools will *not* stand this strain.

D1036



Registered Design, No. 708465.

Extra Quality, Scale Tang, all bright. 6lb. and up supplied with **improved solid steel bolster,** which prevents the wooden scales wearing or splitting.

Weight	2½	3	3½	4	4½	5	6	7	8	9	10	11	12	lbs.
Width on Cut... ...	7¼	7½	7¾	8	8½	9¼	10	10½	10¾	11	11¼	11½	11¾	inch.
	10/–	**10/9**	**12/3**	**14/–**	**15/–**	**16/3**	**17/9**	**20/-**	**22/-**	**24/3**	**26/6**	**29/6**	**31/6**	each.

D1066



Extra Quality, Solid Handle, All Bright.

Weight	5	6	7	8	9	10	11	12	13	14	lbs.
Width on Cut	9¼	10	10½	10¾	11	11¼	11½	11¾	12	12¼	inch.
	14/3	**16/–**	**19/-**	**20/9**	**22/6**	**25/–**	**27/–**	**29/6**	**33/–**	**36/6**	each.

"NEVERFAIL" BUTCHERS' TOOLS



D1039



D1140



D1031



D1038



D1093

		8	9	10	11	12	inch.
D1039	**Lamb Choppers,** Bright, Round Nose, Scale Tang ...	**89/3**	**92/9**	**102/9**	**109/3**	**112/6**	dozen.
D1040	,, ,, ,, Square ,, ,, ,, ...						
D1140	**London or Smithfield,** 8 in. Scale Tang	—	**107/6**	**114/6**	**124/9**	**135/3**	,,

Extra for Finger Grip Handles **2/9** dozen.

D1031	**Ladies' Lamb Choppers.** Specially light, 1lb. 6oz., 8in. Blade, 6in. Handle	**89/3** dozen.
D1038	**Household Choppers.** Through Tang, 1lb. 4oz., 6in. x 3½in. Blade, 6½in. Handle	**41/9** ,,
D1093	,, ,, ,, ,, Capped, 11oz. weight, 5½ x 3¼in. Blade, 5in. Handle ...	**18/–** ,,

D1054

		6	7	8	9	10	11	12	inch.
D1054	**Knives.** Warranted Cast Steel, Rosewood Handle ..	**25/3**	**29/3**	**34/9**	**43/3**	**49/–**	**56/9**	**61/6**	dozen.

D1045

		10	11	12	13	14	inch.
D1041	**Steels,** stag handle, iron ring and swivel	**54/6**	**57/6**	**60/–**	**63/6**	**66/–**	dozen.
D1042	,, brass joint and swivel	**69/9**	**72/6**	**76/6**	**78/9**	**81/9**	,,
D1045	,, Blackwood, brass guard, iron swivel	**41/–**	**43/6**	**47/–**	**49/6**	**52/6**	,,

SPECIAL QUALITY A.H.C. CHISELS

No hardening and tempering is required, but the forging must not be done below a yellow heat. These Chisels are made from our **Special High Grade Alloy Self-Hardening Steel,** and it is only necessary to heat for forging to a yellow heat, then forge in the usual manner to cool off in air. Owing to the extreme toughness, of A.H.C. Steel, snipping, which is so conspicuous with ordinary Chisels, is almost eliminated, and a great saving in time and tools is effected.

We also supply A.H.C. Steel in Bar form ; prices on application.

Unequalled for work in the Foundry and Engineering Establishments.

D852

Length	4	5	6	7	8	9	9	inch.
Size of Steel	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	,,
Cutting Edge	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	,,
Octagon, Ground and Glazed Two Sides	**12**/–	**15**/–	**18**/–	**22**/**6**	**31**/**6**	**39**/–	**48**/–	Dozen.

D853 Cross Cut, Ground and Glazed Two Sides, $\frac{1}{4}$" to $\frac{3}{8}$" on Cut as ordered, 8" long x $\frac{3}{4}$" **42**/– ; 9" long x $\frac{7}{8}$" **51**/– Dozen.

D854 Diamond
D855 Half Round } ,, ,, ,, 8" long x $\frac{3}{4}$" **42**/– Dozen.



D806

Best Cast Steel Cold Chisels, Octagon Steel, Flat.

Length	4	5	6		7		8			9			10			12			inches.
Width on cut	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$\frac{3}{4}$	$\frac{7}{8}$	1	$\frac{3}{4}$	$\frac{7}{8}$	1	,,
D806 ...	**5/6**	**6/-**	**7/6**	**8/6**	**9/3**	**10/6**	**10/6**	**11/6**	**12/-**	**12/9**	**14/-**	**15/6**	**17/3**	**17/3**	**17/9**	**19/-**	**20/9**	**21/9**	**24/-**	dozen.

D807

D808

D809

Length	8	8	8	inches.
Width on Cut	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	,,
D807 Cross Cut $\frac{3}{4}$in. Steel	**17/3**	**18/-**	**19/-**	dozen.

D808 Diamond Point } 8in. x $\frac{3}{4}$in. Steel ... **17/3** dozen.
D809 Half Round }

D929

D968

Plumbers' or Brick Chisels. Octagon Steel.

Length	12			14		16		18		20	24	inches.
Width on Cut	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	,,
D929	**14/6**	**15/-**	**18/3**	**16/-**	**19/6**	**17/3**	**20/9**	**18/6**	**23/-**	**27/6**	**32/3**	dozen.

	8 × $\frac{3}{8}$	9 × $\frac{1}{2}$	10 × $\frac{5}{8}$	inches
D968 Spearior Fluted Wall Drills	**16/-**	**18/6**	**20/9**	dozen.

D930

D931

D932

Length	10	10	10	inches.
Width on Cut	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	,,
D930 Wall Drills, $\frac{5}{8}$in. Octagon Steel	**14/-**	**15/6**	**17/3**	dozen.

	10in. x $\frac{5}{8}$in. Octagon			
	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$ in. Cut.	
D931 Plugging Chisels	**15/6**	**15/6**	**15/6**	dozen.
D932 ,, ,, Grooved	**19/-**	—	—	,,

D804

D890

D894

D804 Tile Cutting Chisels made from special Quality Cast Steel, 5in. x $\frac{5}{16}$in. Cut ... ... **20/9** dozen.
D890 Centre Punches, Knurled, 4in. x $\frac{3}{8}$in. round ... ... **5/3** ,,
D891 Nail ,, ,, ,, ,, ... **3/6** ,,
D894 ,, ,, Cupped, Knurled, 4in. × $\frac{3}{8}$in. round ... ... **6/-** ,,

D805



D1134

D805 Electricians' Chisel for taking up Floor Boards, 9in. long x $\frac{5}{8}$in. Octagon x $2\frac{1}{4}$in. Cut ... **17/3** dozen.
D810 ,, ,, ,, ,, ,, $9\frac{1}{2}$in ,, x $\frac{3}{4}$in. ,, x $2\frac{3}{4}$in. ,, ... **23/3** ,,

Cut	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	inches
Section	$8\frac{1}{2} \times \frac{3}{4}$	$8\frac{1}{2} \times \frac{3}{4}$	$8\frac{1}{2} \times \frac{7}{8}$	$8\frac{1}{2} \times \frac{7}{8}$	,,
D1134 Bricklayers' Bolsters	**24/-**	**27/6**	**31/-**	**34/3**	dozen

HAMMERS


D1574


D1575


D1577

D574

D575

D577

D580

D581

D582

	Up to	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	lbs.
	Length of Handle	14	15	15	16	16	inch
D1574 Straight Pean, **Handled** **D1575** Ball ,, ,, **D1577** Cross ,, ,,		**18/9**	**21/6**	**23/9**	**26/6**	**29/3**	Dozen
D574 Straight Pean, **Heads only** **D575** Ball ,, ,, ,, **D577** Cross ,, ,, ,,		**11/6** Dozen	**$11\frac{1}{4}$d.**	**$11\frac{1}{4}$d.**	**$11\frac{1}{4}$d.**	**$11\frac{1}{4}$d.**	per lb.

The above can be supplied All Bright, Up to 1lb. **7/6** Over 1lb. **9/-** dozen extra.

	3	$3\frac{1}{2}$	4	5	6	lbs. & up
D580 Sledge, Straight Pean	**93/-**	**84/-**	**75/-**	**69/-**	**63/-**	per Cwt.
D581 ,, Double Face	**87/-**	**78/-**	**69/-**	**63/-**	**57/-**	,,
D582 ,, Cross Pean	**93/-**	**84/-**	**75/-**	**69/-**	**63/-**	,,

D583 **Handles,** Best Quality Hickory, 36in. **15/9** Doz.



D585 Post Driving Hammers, Cast Iron Head 36in. Hickory Shafts.

	10lbs.	14lbs.	
Heads only	**4/6**	**6/-**	each
Handled	**7/-**	**9/-**	,,

STONE HAMMERS

D605

D606

D607

D603

D613

D614

D621

D624

		2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	lbs. & over
HEADS ONLY.	**D605** Club, Double Faced **D606** London Club **D607** Welsh, Walling **D603** Sharp End	**159/-**	**135/-**	**120/-**	**108/-**	**99/-**	**87/-**	**81/-**	per Cwt.
HANDLED.	**D626** Club, Doubled Faced **D625** London Club **D627** Welsh, Walling	**39/-**	**40/6**	**42/-**	**45/-**	**48/-**	**51/-**	**54/-**	per Doz.

		Under 1 lb.	1 lb.—$1\frac{1}{2}$ lb.	Over $1\frac{1}{2}$ lb.	
HEADS ONLY.					
D613 Standard Pattern **D614** Stumpy		**14/3** Dozen	**1/3**	**1/3**	per lb.

	4	5	6	lbs. & over
D621 Miners' Quartz Drilling Hammers	**72/-**	**66/-**	**60/-**	per Cwt.
D624 Spalling Hammers	**78/-**	**72/-**	**66/-**	,,

SALES
SPEAR & JACKSON LTD
SHEFFIELD.
STAINLESS STEEL.
QUALITY TOOLS
by
ATTRACTIVE
DISPLAY

ESTAB

HAMME

D1574

D580

D1574 Straight
D1575 Ball
D1577 Cross
D574 Straight
D575 Ball
D577 Cross

D580 Sledge,
D581 ,,
D582 ,,

D583 Handles

STONE

D605
HEADS ONLY.

HANDLED.

HEADS ONLY.

D613 Standard
D614 Stumpy

D621 Miners'
D624 Spalling

23

1 only D.1038. Household Chopper, 6in. x 3½in. Blade, 3/6 each
1 only D.1093. Household Chopper, (Light) 5½in. x 3¼in. Blade, 1/6 each
Price 5/- per Set.

24



D.1301.	Pliers	6 in.	1/6 each
D.1303.	,,	4½ in.	2/- ,,
D.1305.	,,	5½ in.	2/1 ,,
D.1306.	Nippers	6 in.	2/1 ,,
D.910.	Pliers	8 in.	3/4 ,,
D.459.	Pincers	6 in.	1/6 ,,

Price 12/6 per Set.

QUALITY TOOLS

ATTRACTIVELY DISPLAYED *mean* MORE AND QUICKER SALES

A feature of our carding is the use of spring clips from which the Tools are easily detached and replaced. Backed by a stock of our Tools for replacing those sold off the cards they form a permanent, effective and most attractive display.

Any of our Tools which are suitable for Carding (see our Catalogue) can be supplied to our customers specifications at no extra cost over the price of the Tools.

All cards are coloured as illustration on front page.

Remember there is no extra charge for the cards over the price of the Tools.

WHEN ORDERING PLEASE STATE SERIAL No. OF CARD REQUIRED.

25

D.945.	Putty Knives	4½ in.	1/4 each
	Chisel ..	4½ in.	
	Clip ..		
D.946.	Putty Knives	4½ in.	1/7 "
	Spear	5 in. x 2½ in.	2/- "
D.1145.	Scrapers	5 in. x 2½ in.	2/3 "
D.1152.	"		

Price 8/6 per Set.

40

1 only DC.715.	Stainless Weed Fork	4/3
1 " DC.699.	Stainless Trowel	4/-

Price 8/3 per Set.

41

1 only DC.751.	Weed Fork	.. 1/7
1 " DC.752.	" "	.. 1/10
1 " DC.703.	" "	.. 1/4

Price 4/9 per Set.

42

1 only DC.680.	6 in. Trowel	.. 1/4
1 " DC.750.	6 in. "	.. 1/2
1 " DC.685.	6 in. "	.. 2/6

Price 5/- per Set.

43



1 only DC.722. 2 in. Spud .. 1/6
1 ,, DC.721. 2 in. ,, .. 1/4
1 ,, DC.725. 2 in. ,, .. 8d.
Price 3/6 per Set.

44



1 only DC.577. 5 in. Grass Shears 2/3
1 ,, DC.574. 6 in. ,, ,, 3/9
1 ,, DC.574. 7 in. ,, ,, 4/3
Price 10/3 per Set.

45



1 only DC.768. Plant Setter .. 1/3
1 ,, DC.707. Daisy Grubber .. 2/4
1 ,, DC.714. ,, ,, .. 1/4
1 ,, DC.708. ,, ,, .. 1/1
Price 6/- per Set.

46



1 only DC.612. 7 in. Secateurs .. 3/-
1 ,, DC.614. 7 in. ,, .. 3/6
1 ,, DC.627. 7½ in. ,, .. 6/3
Price 12/9 per Set.

47



1 only DC.678. 6 in. Trowel .. 1/1
1 ,, DC.716. Weed Fork .. 11d.
Price 2/- per Set.

48



1 only DC.686. Trowel .. 1/4
1 ,, DC.705. Weed Fork .. 1/8
Price 3/- per Set.

O. 1188/6m/9/38

HANDLED HAMMERS



D73 D640 D74 D84 D72 D81 D81a

		1	1¼	1½ lbs.
D73	Adze Eye Claw Hammer, Solid Cast Steel, Bright	**63**/–	**66**/–	**69**/– dozen.

D640 Claw Hammer, Special Quality 8oz. ... ... **21**/- dozen.

	Nos.	0	1	2	3	4	5	6	
	Approx. Weight of Heads	8	10	12	14	16	18	20	ozs.
D74	Warrington...	**16**/**6**	**18**/–	**19**/**6**	**21**/–	**24**/-	**30**/–	**34**/**6**	dozen

	Nos.	0	1	2	3	4	5	
	Weight	12oz.	14oz.	1lb.	1¼lb.	1½lb.	1¾lb.	
D84	Farmers' Solid Cast Steel	**24**/-	**27**/–	**31**/**6**	**36**/–	**42**/-	**57**/–	dozen
D72	Pin Hammer, Ball Pean, 4oz. Heads						**21**/–	,,
D81	,, ,, Cross Pean ,, ...						**21**/–	,,
D81a	Tack Hammer, similar to D81, Special Light Pattern						**18**/–	,,

D630 D631 D610 D1102 D90

D630	Brick Hammer, American Pattern, Bright and Red	**48**/- dozen
D610	Bricklayers Hammer	**51**/- ,,
D1102	Slaters Hammer, Strapped, and Clawed	**84**/- ,,
D631	Slaters Hammer, not Strapped and without Claw	**45**/- ,,
D90	Coal Hammers, Approx. weight of Head, 1¾lb., Strapped, 18in. handle	**33**/**9** ,,
D628	,, ,, ,, ,, ,, 1¼lb., ,, 12in. ,, ...	**22**/- ,,

TURNSCREWS



D1293

D1293 **Swivel Head,** Firm Grip Handle, 5" blade ... ... **15/9** Dozen.
D1294 As above, fitted with Rubber Cap over Ferrule, suitable for Electricians' use ... ... **15/6** ,,

D1292

	3	4	5	6	7	8	9	10	12	inch
D1292 ...	**10/6**	**10/6**	**10/9**	**11/9**	**12/3**	**13/–**	**13/6**	**14/–**	**15/9**	Doz.

Spindle, Grooved, Firm Grip Handles.

D1291

	4	5	6	inch
D1291	**31/6**	**31/6**	**31/6**	Dozen.

Ratchet, In or Out, can also be used as a Rigid Turnscrew.
Firm Grip, Black Handles.



D346 **D347**

	3	4	5	6	7	8	9	10	12	inch
D346 Leapfrog	**11/6**	**12/6**	**14/–**	**16/3**	**19/3**	**23/-**	**25/9**	**29/3**	**39/6**	Doz.
D347 Mermaid	**13/–**	**14/–**	**15/9**	**18/-**	**21/3**	**25/9**	**27/9**	**33/9**	**44/6**	,,

London Pattern. Flat Beech Handles.

D353 **D363** **D354**

D353 Mermaid	**9/–**	**10/6**	**12/6**	**14/3**	**17/6**	**21/3**	**23/3**	**26/9**	**34/9**	Doz.
D354 ,,	**11/–**	**13/–**	**15/9**	**19/-**	**21/-**	**24/3**	**27/9**	**33/3**	**39/6**	,,

Cabinet Pattern. Improved Oval Handles. (D353 Beech Handles. D354, Box H'andles).
Note. D363 **Electricians,** Fine Blade, same prices as D353.

D360 Mermaid Brand, 2½in. Blade ... ... **17/-** Dozen.

D360
Motor or Undertaker. Worked Beech Handles.



D1295 **D1296**

	3	4	5	6	7	8	9	10	12	inch
D1295 Mermaid, Cabinet, Turned Oval Beech Handles	**10/–**	**10/6**	**13/3**	**15/3**	**17/6**	**20/–**	**23/9**	**25/9**	**28/6**	Doz.
D1296 As above, with Boxwood Handles	**10/9**	**11/3**	**14/3**	**17/6**	**20/–**	**23/9**	**25/3**	**31/6**	**34/9**	,,
D1289 John Cockerill, Beech Handles	**7/3**	**7/9**	**8/6**	**9/6**	**12/9**	**15/9**	**17/6**	**19/9**	**24/6**	,,

D365

	6	9	inch
D365 Mermaid	**22/-**	**25/3**	Dozen

Box Opening, Unbreakable. Reg. Design Fast Tang.

D1290

	2½	3	3½	4	5	6	7	8	inch
D1290 ...	**6/3**	**6/3**	**6/3**	**6/3**	**8/6**	**8/9**	**10/–**	**11/-**	Dozen.

Electricians Insulated Handles, various colours.

D945 D946



D1145 D1152

		4	4½	5 inch.
D945	**Putty Knives,** Cocoa Handles Tanged, Oval Bolster, Brass Ferrule	**15/6**	**16/-**	**17/3** doz.
D946	„ „ Ebony „ „ „ „ „ „	**18/-**	**18/9**	**20/3** „
	(Flexible Blades, supplied in Spear, Clip and Chisel End).			
		4½×1	5×2	5×2½ inch.
D1145	**Scrapers,** Cocoa Handles, Tanged, Oval Bolster, Brass Ferrule	**16/-**	**21/-**	**24/-** doz.
D1152	„ Ebony „ „ „ „ „ „	**18/9**	**22/6**	**26/3** „
	(Flexible Blades)			

D925

Shave Hooks, Heart Shape, **13/6** doz.

D926

Shave Hooks, Triangular, **13/6** doz.



D967

Shave Hooks, Combination, **15/9** doz.



D394

Marking Gauges, Beech ... **15/9** dozen.

Gimlets,

D432 Shell, or
D435 Twist

⅛	5/32	3/16	7/32	¼	Assorted.
4/6	**4/9**	**5/-**	**5/3**	**5/6**	**5/-** dozen.

D489

Bradawls, Fast and Flat Tang Ash Handles.
Assorted 1⅛ to 2 inch **49/6** gross

D490

Bradawls, Special Flat Tang Beech Handles.
Assorted to 2 inch ... **46/6** gross.
D4900 As above, Pinned **54/6** „
Beech Handles.



D516

Carpenters' Pencils ... **20/-** gross

D503

Tack Lifter, Strong ... **8/-** doz.

D552

Pegtop Bradawls, Box **75/-** gross



D406



D416



D376

	Length of Blade	4½	6	7½	9	10½	12	inch.
D406	**Squares,** "Mermaid," Rosewood, Blued Blades... ...	**30/9**	**37/-**	**45/-**	**52/9**	**61/6**	**69/6**	Dozen.
D638	„ "John Cockerill," Oak „ „	—	**19/-**	**22/3**	**25/3**	**31/6**	—	„
D416	**Bevels,** "Mermaid," Rosewood „ „	—	—	**50/6**	**56/9**	**63/-**	**69/6**	„
D639	„ "John Cockerill," Oak „ „	—	—	**25/3**	**26/9**	**30/-**	—	„

D376 Mallets, Best Seasoned Beech, Square Handle, 4″ **22/-,** 5½″ **31/6,** 6½″ **37/9** dozen.

CARPENTER'S BRACES & BITS

D268
D269
D553



D263
D264



		Sweep	5	6	7	8	10	12	inch.
WITH RATCHET.									
D268	Hardwood Head and Handle, Nickel-plated...	...	—	—	**13/9**	**13/9**	**14/9**	**15/–**	Each.
D269	,, ,, ,, Bright Steel ...	...	—	—	—	**12/–**	**13/3**	**13/6**	,,
D553	,, ,, ,, ,, ...	...	—	**7/9**	—	**8/–**	**8/6**	—	,,
	The above Fitted with Ball Bearings.								
WITHOUT RATCHET.									
D263	Hardwood Head and Handle, Bright Steel Ball Bearings		**4/6**	—	**5/–**	**5/6**	**6/9**	**7/–**	,,
D264	Beech ,, ,, ,, Plain ,,		—	—	**4/–**	**4/3**	**6/3**	—	,,

D332

D334

D335

D336

D258

	To	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	inch.
D332	Scotch Pattern, Bright ...	**19/–**	**21/-**	**23/–**	**25/-**	**26/6**	**28/-**	**31/6**	**35/6**	**40/–**	**40/–**	**43/-**	**50/-**	Dozen.
D334	Gedge's Pattern, Bright ...	**22/6**	**25/-**	**27/6**	**30/-**	**32/–**	**34/-**	**37/6**	**42/6**	**47/6**	**47/6**	**54/-**	**60/-**	,,
D335	Jennings' Pattern, Bright ...	**21/–**	**23/-**	**26/–**	**28/-**	**30/–**	**31/6**	**35/-**	**42/-**	**46/6**	**51/6**	**58/-**	**65/-**	,,
D336	Solid Wing Pattern, Bright Single Twist to $\frac{3}{8}$ in.	**27/3**	**30/–**	**33/3**	**36/–**	**38/6**	**40/6**	**45/–**	**51/–**	**56/9**	**56/9**	—	—	,,
						$\frac{1}{4}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
D258	Irwin Pattern, Bright					**17/6**	**17/6**	**19/6**	**21/6**	**25/6**	**30/–**	**34/6**	**38/6**	Dozen.

D283 D884 D291 D285 D302 D295 D297 D296

"MERMAID" BRAND, CAST STEEL, SHARPENED	To	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	Assorted to $\frac{5}{8}$ inch.	
D295 Countersink, Flat Head, Black		**6/–**	**7/6**	**10/3**	**15/–**	**19/3**	**7/–**	Dozen.
D296 ,, Snail Horn ,, ...		**7/–**	**8/3**	**12/3**	**17/9**	**21/9**	**7/6**	,,
D297 ,, Rose Head, 8 Cuts, Black		**7/6**	**10/6**	**13/6**	**19/3**	**23/–**	**8/9**	,,

	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	inch.
D283 Centre		**5/6**	—	**5/6**	**6/3**	**6/3**	**6/9**	**7/–**	**7/6**	**8/3**	**9/6**	**11/–**	**12/3**	**13/9**	Dozen.
D884 Fast Cutting, Bright		**12/-**	—	**13/-**	**14/-**	**14/-**	**14/6**	**15/6**	**16/6**	**18/6**	**20/-**	**22/6**	**25/6**	**29/-**	,,
D285 Shell, Black		**6/6**	**7/–**	**7/6**	**9/6**	**11/–**	**17/3**	**19/9**	—	—	—	—	—	—	,,

D291 Twist Nose or "Swiss" Pattern, Bright. $\frac{1}{16}$—$\frac{5}{16}$ inch, **5/9** Dozen. $\frac{11}{32}$—$\frac{3}{8}$ inch, **7/3** Dozen.

D302 Turnscrew, Plain. Black, **5/6** Bright, **7/–** Dozen.

DRILLS AND AUGERS

D787

D778 & D773

Bit Stock Drills for metal or wood. "Mermaid" Brand. Cast Steel.

	1/16	3/32	1/8	5/32	3/16	7/32	1/4	5/16	3/8	7/16	1/2	5/8	3/4	inches.
D787 ...	7/-	7/6	8/6	10/-	11/-	12/6	14/-	19/-	23/6	28/6	35/6	49/-	65/6	dozen.

JOBBERS DRILLS	3/64	5/64	7/64	9/64	11/64	13/64	15/64	17/64	19/64	21/64	23/64	25/64	27/64	29/64	31/64	inches.
D778 Cast Steel	6/6	6/11	7/4	7/9	8/4	10/5	12/6	14/7	16/8	19/7	22/11	27/1	32/4	38/7	45/10	dozen.
D773 High Speed	1/1	1/3	1/4	1/6	1/8	1/11	2/3	2/7	3/-	3/6	4/-	4/6	5/-	5/3	5/9	each.

	1/32	3/32	5/32	7/32	9/32	11/32	13/32	15/32	1/16	3/16	5/16	7/16	1/8	3/8	1/4	1/2	inches.
D778 Cast Steel	6/3	7/1	7/11	11/6	15/10	21/1	29/2	41/8	6/8	9/5	18/2	35/5	7/6	25/-	13/7	50/-	dozen.
D773 High Speed	—	1/4	1/7	2/-	2/9	3/9	4/9	5/6	1/2	1/9	3/3	5/-	1/5	4/3	2/5	6/-	each.

D315

D319

D321

Carpenters Screw, 12in. shank	To 1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
D315 Barrel Eye, Bright	23/-	25/-	28/6	31/-	35/-	39/6	44/6	51/-	57/-	dozen.
D316 ,, Black	20/-	21/6	24/-	27/-	31/-	35/-	39/-	42/6	49/6	,,
"Scotch" Round Shanks										
D319 Barrel Eye, Bright	24/-	27/-	33/-	36/-	40/6	45/-	52/-	55/6	62/6	,,
D320 ,, Black	21/6	24/6	29/6	33/-	37/6	40/-	44/-	53/-	58/-	,,
"Gedges" Pattern, Round or Square Shanks										
D321 Barrel Eye, Bright	24/6	27/-	31/-	33/6	38/-	43/-	48/-	55/6	61/6	,,

CASE OPENERS

D1324

D1326

D1327

D1324 Handy Patent Labour Saving Tool, Bright, Extra Strong ... ... 42/- dozen.

Specially designed for opening cases, and extracting nails easily and quickly.

D1326 12in. x 1/2in. Round Section ... ... 21/9 dozen.

D1327 15in. x 5/8in. Square ,, ... 31/6 ,,

TINMENS' SNIPS

D982

D983

	7	8	9	10	12	14	inches.
D982 Solid Steel, Straight	23/9	26/9	31/6	36/3	50/6	71/-	dozen.
D983 ,, ,, Bent	34/9	38/-	42/6	50/6	69/6	—	,,

MASONS', BRICKLAYERS', SLATERS' & PLASTERERS' TOOLS

D1101



D629



D1105

		Nos. 1	2	
D1101	Slaters Lath Hatchet	63/–	66/–	dozen.
D1105	Slaters Ripper, 30in.	...	63/–	,,
D629	Mortar Pick, Double Point, Solid Eye		39/–	,,

D1135

D1139

		½ Bright	Bright	
D1135	Masons' Line Pins, Standard Pattern	12/-	15/-	dozen pairs.
D1139	,, ,, ,, Anchor Head Pattern	12/-	15/-	,, ,,



D1108



D1109

D1108	Plasterers', Cast Steel, Single Hang, 11in. x 4¼in.	75/- dozen.
D1109	,, ,, ,, Double Hang ,, ,, ...	94/6 ,,
D1116	,, ,, ,, Single Hang ,, ,, John Cockerill Brand	49/6 ,,



D1118



D1119

D1121

D1122

		9	9½	10	10½	11	12	
D1118	Best Cast Steel, Masons'	45/9	47/3	48/6	49/-	50/6	53/6	inches. dozen.
D1119	,, ,, ,, London Brick, capped ...	50/6	52/-	52/6	53/6	55/3	58/3	,,

D1115 John Cockerill Brick Trowel, one size only 10" ... ... 38/– dozen

		5	5½	6	6½	7	7½	8	
D1121	Best Cast Steel, Gauging Pattern	32/–	32/–	32/6	33/6	35/6	37/–	39/6	inches. dozen.
D1122	,, ,, Pointing Pattern	27/6	27/6	29/–	31/6	33/9	36/–	38/6	,,
D1117	John Cockerill Brand, Pointing Pattern ...	9/–	—	9/9	—	10/6	—	—	,,

ROAD TOOLS

D1224

D1234

D1243

MATTOCKS

	Approximate width on Cutting Edge					4	$4\frac{1}{2}$	5	$5\frac{1}{2}$ lbs.
						$3\frac{3}{4}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$ inches.
D1223	Short cutter, Solid Steel, blacked, glazed about 2 in. up. Size of eye 3 x 2 in.					**39**/-	**42**/-	**45**/-	**48**/- dozen.
D1224	Long cutter,	,,	,,	,,	,,	,,	,,		
D1234	Pick	,,	,,	,,	,,	,,	,,		
D1243	Road	,,	Self Colour ,,	,,	,,	,,	,,	6 lbs. and up **37**/**6** dozen.	

D1176

PICKS

		5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	7 lbs. up
D1176	Solid Steel, self colour, point and chisel, or double pointed, eye 3 x 2 in.	**54**/**9**	**52**/**6**	**51**/-	**48**/-	**46**/**6** cwt.

D1181 **Handles,** Hickory, 36 in. **21**/**9** dozen.

D1161



D642



D1161 Crow Bars, Solid Steel, 60 x $1\frac{1}{4}$ in. round, plain or pinch, without claw **8**/**6** each.

(*A "Pinch" Bar is slightly turned up at chisel end*).

D642 Earth Rammers.

Round or Square heads, complete with 4ft. handles.

10 lbs. ... **6**/– each.
14 lbs. ... **8**/**3** ,,

D1191 Garden Picks.
3 lb. head, bright and red, with 32 in. Hickory Handles.
63/– dozen.

SQUARE MOUTH SHOVELS

OPEN SOCKET. C3 C15 & C5

		1	2	3	4	5	6	7	8	10	
C3	Neverbend 28″ "T" Handles	**47/–**	**48/–**	**49/6**	**51/9**	**54/6**	**57/6**	**60/9**	**63/9**	**70/3**	dozen
C15	Leapfrog ,, ...	**39/9**	**41/3**	**42/9**	**44/3**	**46/–**	**48/–**	**50/3**	**52/9**	**58/–**	,,
C5	John Cockerill ,, ...	**30/6**	**30/9**	**31/6**	**32/3**	**33/6**	**35/–**	**37/6**	**39/6**	**46/6**	,,

D Handles	Neverbend	**10/6**	doz. extra
,,	Leapfrog	**7/6**	,,
,,	John Cockerill	**4/6**	,,



SOLID STRAPPED. C900 & C2900

		0	1	2	3	4	
C900	Neverbend London, 10″ Straps, 3 Rivets, 26″ D Handles ...	**69/–**	**72/–**	**75/–**	**78/–**	**81/–**	dozen
C902	,, Navvy ,, ,, 28″ ,, ...						
C2900	(London) and **C2902** (Navvy) John Cockerill as above. ...	...	**56/3**	**59/9**	**63/–**	—	,,

T Handles	Neverbend	**10/6**	doz. less.
,,	John Cockerill	**4/6**	,,



SOLID NECK. C111 & C941

		1	2	3	
C111	Neverbend 12″ Straps, 26″ D Handles	**75/9**	**78/9**	**81/9**	dozen
C941	John Cockerill ,, ,, ...	**68/3**	**69/9**	**71/3**	,,

T Handles	Neverbend	**10/6**	doz. less
,,	John Cockerill	**4/6**	,,

SOLID SOCKET. C294

		1	2	3	
C294	John Cockerill, Fox Type, 28″ T Handles	**60/–**	**61/6**	**63/–**	dozen
	28″ D ,, ...	**64/6**	**66/–**	**67/6**	,,



C46

C104 John Cockerill, Greenhouse Shovel.
Made in one size only,
12″ x 7″, with 22″ T Handle ... **43/6** dozen.

C104

OPEN SOCKET LOCO. FIRING SHOVELS.

C46 Neverbend. Made in one size only.
No 1. 18″ x 9″, 22″ T clasped Handles ... **60/-** dozen.

Nos.	1	2	3	4	5	6	7	8	10
STANDARD SIZES	12 x 9½	12½ x 10	13 x 10½	13½ x 11	14 x 11½	14½ x 12	15 x 12½	15½ x 13	16½ x 14

BARN or CHAFF SHOVELS

C50 Neverbend, Open Socket.
17 Gauge Plates, with 28″ D Handles

Size Nos.	1	2	
Length x Width	14½ x 12	16 x 13	inch
	66/–	**72**/–	dozen

ROUND MOUTH SHOVELS

OPEN SOCKET. C4 C16 & C6

		2	3	4	5	
C4	Neverbend 28″ T Handles	**48**/–	**49/6**	**51/9**	**54/6**	doz
C16	Leapfrog ,, ...	**41/3**	**42/9**	**44/3**	**46**/–	,,
C6	John Cockerill ,, ...	**30/9**	**31/6**	**32/3**	**33/6**	,,

D Handles	Neverbend	**10/6**	doz. extra
,,	Leapfrog	**7/6**	,,
,,	John Cockerill	**4/6**	,,

SOLID STRAPPED. C903 & C2903

		2	3	4	
C903	Neverbend, Navvy, 10in. straps, 3 rivets, 28in. T Handles	**64/6**	**67/6**	**70/6**	doz.
C2903	John Cockerill ,, ,, ,, ,, ,,	**55/3**	**58/6**	—	,,

D Handles	Neverbend	**10/6**	doz. extra
,,	John Cockerill	**4/6**	,,

SOLID NECK C112 & C942

		2	3	4	
C112	Neverbend 12in. Straps, 28in. T Handles ...	**68/3**	**71/3**	**74/3**	dozen.
C942	John Cockerill ,, ,, ...	**65/3**	**66/9**	—	,,

D Handles	Neverbend	**10/6**	doz. extra
,,	John Cockerill	**4/6**	,,

SOLID SOCKET. C295

		2	3	
C295	John Cockerill Fox Type, 28 in. T Handles ...	**61/6**	**63**/–	dozen.
	,, D ,, ...	**66**/–	**67/6**	,,



IRISH C39

	Size Nos.	2	3	
	Length x Width	13½ x 9½	14½ x 10	inch.
C39	Neverbend with 4ft. Handles	**56/3**	**58/6**	dozen.
	,, 4½ft. ,, ...	**59/3**	**61/6**	,,

EXTRAS.

3¼ ft. Long Handles or T Clasped ... ... 4/6 dozen extra over T.

	2	3	4	5	
STANDARD SIZES	12½ x 10½	13 x 11	13½ x 11½	14 x 12	inch.

SPADES.



C133.
Ordinary Strapped 12″ Straps. 3 Rivets.



C137.
Nurseryman's Strapped. Side Straps, Treaded.
21″ Straps. 5 Rivets.



C257.
Solid Neck Strapped. 12″ Straps. 3 Rivets.



C174.
Gloucester Strapped. 12″ Straps. 3 Rivets. 32″ T Handle.



C260.
London Treaded. 12″ Straps. 3 Rivets.

C160. C2160.
Scotch Treaded. 12″ Straps. 3 Rivets.



C158.
Norfolk Socket Strapped 12″. 3 Rivets.

28″ D Handles

			0	1	2	3	
			11 × 6½	11½ × 7	12 × 7½	12½ × 8	inch
C130	Neverbend	¼ bright	**75/9**	**78/9**	**81/9**	**84/9**	dozen
C132	,,	½ ,,	**81/9**	**84/9**	**87/9**	**90/9**	,,
C133	,,	All ,,	**93/9**	**96/9**	**99/9**	**102/9**	,,
C1330	Leapfrog	,, ,,	**78/–**	**81/–**	**84/–**	**87/–**	,,
C2130	John Cockerill	¼ ,,	**56/3**	**57/–**	**60/–**	—	,,

28in. T Handles	Neverbend quality	**10/6**	doz. less
28in. T ,,	Leapfrog ,,	**7/6**	,,
28in. T ,,	John Cockerill ,,	**4/6**	,,
3¼ ft. ,,	Neverbend ,,	**6/–**	,,
3¼ ft. ,,	John Cockerill same prices as D		

C137	Neverbend	¼ bright	—	**105/–**	**108/–**	**111/–**	dozen

Flat Treads can be supplied at **3/–** dozen less.

28″ or 32″ T Handles

			0	1	2	3	
			11 × 7	11½ × 7½	12 × 8	12½ × 8½	inch
C256	Neverbend	½ bright	**81/9**	**84/9**	**87/9**	**90/9**	dozen
C257	,,	All ,,	**93/9**	**96/9**	**99/9**	**102/9**	,,
C2256	John Cockerill	¼ ,, 28″ handles only.	**64/6**	**65/3**	**68/3**	**71/3**	,,

Flat Treads can be supplied at **4/6** dozen extra.

28in. or 32in. D Handles	Neverbend quality	**10/6**	doz. extra
28in. D ,,	John Cockerill ,,	**4/6**	,,
3¼ ft. ,,	Neverbend ,,	**4/6**	,,
3¼ ft. ,,	John Cockerill ,,	**4/6**	,,

C173	Neverbend	½ bright	**79/6**	**82/6**	**85/6**	**88/6**	dozen
C174	,,	All ,,	**92/3**	**95/3**	**98/3**	**101/3**	,,

28″ D Handles

			0	1	2	3	
			11 × 6½	11½ × 7	12 × 7½	12½ × 8	inch
C156	Neverbend	¼ bright	**80/3**	**83/3**	**86/3**	**89/3**	dozen
C260	,,	All ,,	**98/3**	**101/3**	**104/3**	**107/3**	,,
C1331	Leapfrog	,, ,,	**81/–**	**84/–**	**87/–**	**90/–**	,,
C2155	John Cockerill	¼ ,,	**57/9**	**59/3**	**62/3**	—	,,

			1	2	3	4	
			11½ × 7¼ × 7⅛	11¾ × 7½ × 7⅜	12½ × 8 × 7¾	13 × 8½ × 8¼	inch
C160	Neverbend	½ bright	**93/–**	**96/–**	**99/–**	**102/–**	dozen
C161	,,	All ,,	**111/–**	**114/–**	**117/–**	**120/–**	,,
C1611	Leapfrog.	All ,,	—	**87/–**	**90/–**	**93/–**	,,
C2160	John Cockerill	¼ ,,	**64/6**	**65/3**	**66/9**	**68/3**	,,

			0	1	2	3	
			11 × 7 × 6	11½ × 7½ × 6½	12 × 8 × 7	12 × 9½ × 7½	inch
C157	Neverbend	½ bright	**81/9**	**84/9**	**87/9**	**90/9**	dozen
C158	,,	All ,,	**93/9**	**96/9**	**99/9**	**102/9**	,,

SPADES

C166 & C2164

Lancashire 12in. Socket.

28″ T HANDLES

		0	1	2	3	
		11 x 7½	11½ x 8	12 x 8½	12½ x 9	in.
C164	Neverbend ½ bright	**87**/–	**90**/–	**93**/–	**96**/–	doz
C166	,, all ,,	**99**/–	**102**/–	**105**/–	**108**/–	,,
C170	Leapfrog ,, ,,	**84**/–	**85/6**	**87**/–	—	,,
C2164	John Cockerill ¼ ,,	**62/3**	**63/9**	**66/9**	—	,,

C163 & C2162

Yorkshire 12in. Socket.

28″ D HANDLES

		0	1	2	3	
		11 x 6½	11½ x 7	12 x 7½	12½ x 8	in.
C162	Neverbend ½ bright	**94/6**	**97/6**	**100/6**	**103/6**	doz
C163	,, All ,,	**106/6**	**109/6**	**112/6**	**115/6**	,,
C464	Leapfrog ,, ,,	—	**90**/–	**91/6**	—	,,
C2162	John Cockerill ¼ ,,	**67/6**	**68/3**	**71/3**	—	,,

28″ T Handles Neverbend quality	**10/6**	doz. less
28″ T ,, John Cockerill quality	**4/6**	,,

C1052

Open Socket 10in.

C1052	Neverbend ¼ bright	—	**60**/–	**63**/–	—	doz.
C152	Leapfrog ,,	—	**56**/–	**58/6**	—	,,
C2152	John Cockerill ¼ ,,	—	**40/6**	**43/6**	—	,,

28″ T Handles Neverbend quality	**10/6**	doz. less
28″ T ,, Leapfrog ,,	**7/6**	,,
28″ T ,, John Cockerill quality	**4/6**	,,

C183

Irish, 12in. Straps, 3 rivets, Flat Treads.

Bent or Straight, **36″ T HANDLES**

		1	2	3	
		12½x6x5	13x6½x5½	13½x7x6	in.
C183	Neverbend ¼ bright	**72/9**	**74/3**	**75/9**	doz.

Special Sizes for Northern Ireland—

13 x 6 x 6	13½ x 6 x 6	in.
75/9	**75/9**	doz.

Note: Can be supplied Side Strapped Treaded, **3**/- doz. extra.
32in. D handles **4/6** ,, ,,

C462

Border Spade. 9in. Socket, 2 rivets.

C462 Leapfrog ¼ bright, painted Red, T handles **58**/– doz.
Made in one size only, 10 x 6½ ins.

C246

Ladies, Socket 10in. Bright Front.

C246 Leapfrog 28″ T handle, made in one size only 9 x 5½″ **53/3** doz.
28″ D ,, ,, ,, ,, ,, **57/9** ,,

C227 & C2227

Ladies, Strapped, 10in. Straps, 2 rivets.

		28″ D HANDLES 9½ x 6	**28″ T HANDLES** 9½ x 6 inch	
C227	Neverbend Bright and Red ...	**78/9**	**68/3**	doz.
C231	,, ¼ bright ...	**69/9**	**59/3**	,,
C2271	,, as C227 but Treaded	**81/9**	**71/3**	,,
C2312	,, as C231 ,,	**72/9**	**62/3**	,,
C2227	John Cockerill ½ Bright and Red	**66/9**	**62/3**	,,
C2231	,, ¼ bright. ...	**56/3**	**51/9**	,,



C259

Gents Socket, 10in.

28″ T HANDLES

		2	3	
		9½ x 6	10½ x 7	inch
C258	Neverbend ½ bright ...	**76/6**	**79/6**	doz.
C259	,, All ,, ...	**93**/–	**96**/–	,,

SPADES

C18
Moulders Shovels, ¼ Bright, 12in. Straps. 3 rivets.

28″ T HANDLES

		00	0	1	2	
		10½ x 8½	11 x 9	11½ x 9½	12 x 10	in.
C18	"Neverbend" Strapped	**69**/–	**69**/–	**72**/–	**75**/–	doz.
C628	"Neverbend" Solid Socket	—	**75**/–	**78**/–	**81**/–	,,

Crutch Clasped Handles **4/6** dozen extra.

C153
Rabbiting Spades, ½ Bright, 12in. Straps, 3 Rivets. 28″ T Handles

C153 "Neverbend" made in one size only 12½x6x5½″ **72**/– doz.

C192
Post Hole and Rabbiting Spades, 14″ Solid Sockets.

C192 "Neverbend" Quarter Bright, made in one size only.
12½ x 6 x 4¾ inch T handles **96**/– dozen
D ,, **106/6** ,,
C193 As above, All Bright T ,, **114**/– ,,
D ,, **124/6** ,,



C195
Clay Spades, ¼ Bright, Strapped.

28″ D HANDLES

		0	1	2	3	
		11½ x 5½	12 x 6	12½ x 6½	13 x 7	inch.
C194	"Neverbend" 10in. Straps, 2 Rivets	**75/9**	**75/9**	**78/9**	**81/9**	dozen.
C195	"Neverbend" 14in. Straps, 3 Rivets.	**81/9**	**81/9**	**84/9**	**87/9**	dozen.

C206
Clay Spades, Solid Socket ¼ Bright.

28″ D HANDLES

		0	1	2	
		12 x 5½	12½ x 6	13 x 6½	inch
C206	"Neverbend" ...	**87**/–	**87**/–	**90**/–	dozen



C188
Draining Spades, ½ Bright, 14in. Straps, 3 Rivets

28″ D HANDLES

		1	2	3	4	
		15x5¼x3¼	16x5½x3½	17x5¾x3¾	18x6x4	inch
C188	"Neverbend"	**91/6**	**94/6**	**97/6**	**100/6**	doz.

C191
Draining Spades, 18in. Solid Socket, ½ Bright.

28″ D HANDLES

		2	3	
		16 x 5½ x 3½	18 x 6 x 3½	inch
C191	"Neverbend" ...	**123**/–	**129**/–	dozen.

T Handles can be supplied where specified D at **10/6** Dozen Less.
D ,, ,, ,, ,, T ,, **10/6** ,, Extra.

C217
Turfing Irons, Forged from Solid Bar, Bright and Red.

C217 "Neverbend" D Handles **11**/– each. **C216** "Neverbend" T Handles **10/3** each.

DIGGING & BORDER FORKS



C298 & C2300

Ordinary Strapped.

		29" D Handles 4 13 x 8	29" D Handles 5 13 x 9 in.	29" T Handles 4 13 x 8	29" T Handles 5 13 x 9 in.
C298/3	Neverbend Self Colour & Red	**75/–**	**90/9**	**64/6**	**80/3** dz.
C375/3	,, ½ Bright & Red	**81/–**	**96/9**	**70/6**	**86/3** ,,
C300/3	Leapfrog Self Colour ...	**66/–**	**81/9**	**58/6**	**74/3** ,,
C2300/3	John Cockerill Self Colour ...	**59/3**	**71/3**	**54/9**	**66/9** ,,
		12½x7½	12½x8½	12½x7½	12½x8½ in.
C298/2	Neverbend Self Colour & Red	**75/–**	**90/9**	**64/6**	**80/3** dz.
C375/2	,, ½ Bright & Red	**81/–**	**96/9**	**70/6**	**86/3** ,,
C300/2	Leapfrog Self Colour ...	**66/–**	**81/9**	**58/6**	**74/3** ,,
C2300/2	John Cockerill Self Colour ...	**59/3**	**71/3**	**54/9**	**66/9** ,,

Note :—Solid Neck Strapped (Weldless) can be supplied at **3/-** dozen extra in the following :
C410 Finish as **C298** and **C411** Finish as **C375** in 4 prong only.

Solid Socket. **C418**

		29" D Handles	29" T Handles
C418	Neverbend 4 Prong, Self Colour & Red, 13" x 8"	**81/9**	**71/3** doz.
C419	,, ,, Bright & Red ,,	**89/3**	**78/9** ,,

C378

Strapped, Half Oval, Half Square Prongs. 12" straps, 3 rivets.

		No. of Prongs Length x Width 4 13 x 8	5 13½ x 9 in.
C378/3	Neverbend ½ Bright & Red 29" D Handles	**86/3**	**101/3** doz.
	29" T ,,	**75/9**	**90/9** ,,



C303

Clay Fork, Strapped to D. 5 rivets,

		30" D Handles No. of Prongs 3 Length x Width 13 x 8½	4 13½ x 9 in.
C303	Neverbend, Self Colour & Red	**99/–**	**99/–** doz.



C384 & C307

Border, Square Prongs, 8" straps, 2 rivets,

		29" D Handles No. of Prongs 4 Length x Width 7 x 4½	4 9 x 5½	4 11 x 7 in.
C307	Neverbend, Self Colour & Red	**66/–**	**67/6**	**69/–** doz.
C384	,, Bright & Red	**70/6**	**72/–**	**73/6** ,,
C2307	John Cockerill Self Colour ...	—	**57/9**	**59/3** ,,
C2384	,, ½ Bright & Red ...	—	**63/9**	**65/3** ,,

29in. T Handles Neverbend quality	**10/6**	doz. less
29in. T ,, John Cockerill ,,	**4/6**	,,

C417

Border, Flat Prongs, 8" straps, 2 rivets.

C417	Neverbend, Self Colour & Red, 9"x6"	30" T Handles	**58/6** doz.
	,,	D ,,	**69/–** ,,
C2417	John Cockerill Self Colour 9" x 6"	,, T ,,	**53/3** ,,
		,, D ,,	**57/9** ,,

C448

Ladies, Solid Socket, ½ Bright & Red.

C448	Leapfrog, 4 Prong, 9" x 5½"	28" T Handles ...	**54/–** doz.
		D ,, ...	**61/6** ,,

POTATO FORKS



C309

C309 Flat Prongs, Strapped.
C311 & C312 Ridged Back Prongs Strapped.

29″ D Handles

		No. of Prongs	4	5	
		Length x Width	11½ x 8	12 x 9 in.	
C309	Neverbend Self Colour & Red, 12″ straps 3 rivs.		**87/9**	**103/6**	dz.
C311	,, ,, ,, ,, ,,		**90/9**	**106/6**	,,
C312	,, Bright Face & Red, ,, ,,		**100/6**	**116/3**	,,
C2309	John Cockerill Self Colour, 10″ ,, 2 rivs.		**66/9**	—	,,
C2311	,, ,, ,, ,,		**71/3**	—	,,

29in. T Handles Neverbend quality	**10/6**	doz. less
29in. ,, John Cockerill ,,	**4/6**	,,



C315

C315 Flat Prongs, Strapped, 12in. straps, 3 rivets.
C404 Ridged Back Prongs, Strapped 12in. straps, 3 rivets.

27″ D Handles

	No. of Prongs	3	4	4	5	
	Size Nos.	3	2	3	3	
Neverbend	Length x Width	13½ x 9	12½ x 8½	13½ x 9	13½ x 9½	ins.
C315	Self Colour & Red	**91/6**	**94/6**	**97/6**	**113/3**	doz
C315a	½ bright & Red ...	—	**100/6**	**103/6**	—	,,
C404	Self Colour & Red ...	—	**100/6**	**103/6**	**119/3**	,,



C406

C406 Asparagus, 14in. Socket Strapped, Flat Prongs.
C405 ,, Strapped, 12in, straps, 3 rivets.

27″ D Handles

C406	Neverbend, Self Colour & Red, 4 prongs, 13½ x 10in. **111**/– doz	
C405	,, ,, ,, ,, ,, **105**/–	,,



C313 & C314

C313 Lincolnshire, Ridged Back Prongs.

Neverbend **32″ T Handles**

C313	Self Colour & Red, 12″ straps, 3 rivs. 4 prongs 11½ x 8″ **66**/- doz	
C314	Bright & Red, ,, ,, 4 prongs 11½ x 8″ **75**/-	,,

John Cockerill.

C2314	½ Bright & Red 10″ ,, 2 ,, 4 prongs 11½ x 8″ **62/3**	,,



C317 & C403

C317 Scotch, Ridged Back Prongs.

30″ T Handles

	No. of Prongs	3	4	
	Length x Width	12 x 7	11½ x 8 in.	
	Straps	10″ 2 rivets	12″ 3 rivets	
C317	Neverbend Self Colour & Red ...	**63/9**	**70/6**	doz
C403	,, Half Bright & Blue, 13 x 6⅞″	**76/6**	—	,,
C2403	Leapfrog ,, Face only ,,	**69**/–	—	,,



C323 & C324

C323 Cheshire, Square Prongs, Self Colour & Red.
C324 ,, Oval ,, ,, ,,

28″ T Handles

C323	Neverbend 10″ straps, 2 rivets, 4 prong, 11½″ x 7½″ **54**/– doz	
C3233	John Cockerill ,, ,, ,, ,, **51**/–	,,
C324	Neverbend ,, ,, ,, ,, **57**/–	,,
C3244	John Cockerill ,, ,, ,, ,, **54**/–	,,

MANURE FORKS



C330

Ordinary Strapped, Oval Prongs.

		32in. T Handles			
	No. of Prongs	4	4	5	6
	Size Nos.	2	3	3	3
	Length x Width	12½ x 8½	13 x 9½	13½ x 9½	14 x 11 in.
C330	Neverbend Bright & Red	**75/9**	**78/9**	**93/9**	**114/9** doz.
C331	,, ,, Blue	**69**/–	**72**/–	**87**/–	**108**/– ,,
C332	Leapfrog ,, Red	**63**/–	**66**/–	**81**/–	— ,,
C2332	John Cockerill ,, ,,	—	**59/3**	**74/3**	— ,,

Neverbend & Leapfrog qualities, 32″ MD & 4′ Handles, **6**/- doz. extra
John Cockerill quality ,, ,, ,, **4/6** ,, ,,

C349 & C350

C349 Cap Hooped, Oval Prongs
C350 Socket Strapped ,, ,,

		Metal 34in. D Handles			
	No. of Prongs	4	4	5	6
	Size Nos.	2	3	3	3
	Length x Width	13 x 8½	13½ x 9½	13½ x 9½	14 x 11 in.
C349	Neverbend Bright & Blue	**69**/-	**72**/-	**87**/-	**108**/- doz.
C350	,, ,, ,,	**72**/-	**75**/-	**90**/-	**111**/- ,,
C1349	Leapfrog ,, ,,	**56/3**	**59/3**	**71/3**	**86/3** ,,
C1350	,, ,, ,,	**59/3**	**62/3**	**74/3**	**89/3** ,,

Neverbend & Leapfrog qualities, 34″ T **4/6** doz. less.
,, ,, ,, 4′ same prices as MD.

C447

Solid Socket Oval Prongs.

C447 Neverbend Half Bright & Red
4 prong, No. 3, 13 x 9½in. 32″ T Handles **60**/– doz,
5 ,, No. 3, 13½ x 9½in. ,, T ,, **75**/– ,,
4ft. & 32″ M.D., **6**/– doz. extra.

C341

Scotch & North of England, Oval Prongs.

32in. Oval T Handles.

	No. of Prongs	4	5	5	6
	Length x Width	14 x 10½	15 x 12	15 x 14	16 x 14 in.
C341	Neverbend Bright & Blue	**80/3**	**102**/–	**107/3**	**127/6** doz.

C343

Glasgow, Round Prongs.

29in. Oval T Handles.

No. of Prongs	4	5	
Length x Width	14 x 9	14½ x 10½ in.	
C343 Neverbend Self Colour	**79/6**	**95/3** doz.	
C344 ,, Bright & Blue	**93**/–	**111**/– ,,	



C346

Forfar, Half Oval, Half Square Prongs.

32in. Oval T Handles.

No. of Prongs	4	4	5	
Length x Width	14 x 11	15 x 11½	14½ x 12 in.	
C346 Neverbend Bright & Blue ...	**90**/–	**93**/–	**108/9** doz.	
C347 ,, Oval prgs. ,, ,, ...	**83/3**	**86/3**	**102**/- ,,	

C400

Irish, Oval Prongs.

C400 Neverbend All Bright & Blue, 4 prongs, 13½ x 9¾in.
4ft. Handles **66**/– doz.

NEVERBEND DRAGS

C357

Manure Drags, Solid Strapped, Extra Strong, 10in. Straps, 2 rivets, Best Ash Handles.

	No. of Prongs	3	4	5	
	Length x Width	9½ x 7½	10 x 8	10½ x 9	inches
	Length of Handle	5	5	5	feet
C357	Oval Prongs, Bright and Blue	**75**/–	**78**/–	**93**/–	dozen.
C355	,, ,, Self Colour	—	**70/6**	—	,,
C358	Square Prongs ,, ,, ...	**69**/–	**72**/–	**87**/–	,,

Any of the above patterns can be supplied with 6ft. Handles at **6/9** dozen extra.



C360

Potato or **Strawberry Drags** Solid Strapped, 10in. Straps, 2 rivets, Best Ash Handles.

	No. of Prongs	3	4	5	
	Length x Width	6½ x 5½	7 x 6	7½ x 6½	inches
	Length of Handle	5	5	5	feet
C360	Ridged Back Prongs, Self Colour	**69/9**	**72/9**	**87/9**	dozen.
C361	Oval Prongs, Bright and Red	**66/9**	**69/9**	**84/9**	,,



C362

Filling Drags, North of England Pattern, Solid Strapped, Best 5ft. Ash Handles.

C362 4 Round Prongs, 13 x 11ins. Self Colour, 12in. Straps, 3 rivets ... ... **100/6** dozen.

SOCKET STRAPPED NEVERBEND HAYFORKS

C529 2 prong, Pinned through tang, "**Neverbend**" Brand, Bright and Blue. Specially selected Ash Handles, waxed.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**46/6**	48/–	49/6	53/3	58/6	64/6	70/6 dozen.
10 ,, 5½ ,, ...	48/–	**49/6**	51/–	54/9	60/–	66/–	72/– ,,
11 ,, 6 ,, ...	49/6	51/–	**52/6**	56/3	61/6	67/6	73/6 ,,
12 ,, 6½ ,, ...	51/–	52/6	54/–	**57/9**	63/–	69/–	75/– ,,
13 ,, 7 ,, ...	52/6	54/–	55/6	59/3	**64/6**	**70/6**	**76/6** ,,

C531 3 prong, as C529. 15/– dozen extra.

C539 2 prong, Bright and Blue, "**Leapfrog**" Brand.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**37/6**	39/9	42/9	45/9	50/3	57/–	66/9 dozen.
10 ,, 5½ ,, ...	39/–	**41/3**	44/3	47/3	51/9	58/6	68/3 ,,
11 ,, 6 ,, ...	40/6	42/9	**45/9**	48/9	53/3	60/–	69/9 ,,
12 ,, 6½ ,, ...	42/–	44/3	47/3	**50/3**	54/9	61/6	71/3 ,,

C540 3 prong, as C539. 11/3 dozen extra.

"Neverbend" Hayforks with Specially Waxed Handles, supplied in Protective Sheaths to preserve their Superior Finish.

Heavy type Prices are Standard Sizes.

NEVERBEND HAYFORKS CAP HOOPED



C532 2 prong, Pinned through tang, "**Neverbend**" Brand, Bright and Blue. Specially selected Ash Handles, waxed.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**43/6**	45/–	46/6	50/3	55/6	61/6	67/6 dozen.
10 ,, 5½ ,, ...	45/-	**46/6**	48/–	51/9	57/–	63/–	69/– ,,
11 ,, 6 ,, ...	46/6	48/–	**49/6**	53/3	58/6	64/6	70/6 ,,
12 ,, 6½ ,, ...	48/–	49/6	51/–	**54/9**	60/–	66/–	72/- ,,
13 ,, 7 ,, ...	49/6	51/–	52/6	56/3	**61/6**	**67/6**	**73/6** ,,

C533 3 prong, as C532. 15/– dozen extra.

C537 2 prong, Half Bright and Blue. "**Leapfrog**" Brand.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**35/3**	37/6	40/6	43/6	48/–	54/9	64/6 dozen.
10 ,, 5½ ,, ...	36/9	**39**/–	42/–	45/–	49/6	56/3	66/– ,,
11 ,, 6 ,, ...	38/3	40/6	**43/6**	46/6	51/–	57/9	67/6 ,,
12 ,, 6½ ,, ...	39/9	42/-	45/–	**48**/–	52/6	59/3	69/– ,,

C538 3 prong, as C537. 11/3 dozen extra.

"Neverbend" Hayforks with Specially Waxed Handles, supplied in Protective Sheaths to preserve their Superior Finish.

Heavy type Prices are Standard Sizes.

BEVELLED HOOPED NEVERBEND HAYFORKS



C485 2 prong, Pinned through tang, Patent Lip, "**Neverbend**" Brand, All Bright. Specially selected Ash Handles, waxed.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**45**/–	46/6	48/–	52/6	57/–	63/–	69/– dozen.
10 ,, 5½ ,, ...	46/6	**48**/-	49/6	54/–	58/6	64/6	70/6 ,,
11 ,, 6 ,, ...	48/–	49/6	**51**/–	55/6	60/–	66/–	72/– ,,
12 ,, 6½ ,, ...	49/6	51/–	52/6	**57**/–	61/6	67/6	73/6 ,,
13 ,, 7 ,, ...	51/–	52/6	54/–	58/6	**63**/–	**69**/–	**75**/– ,,
14 ,, 7½ ,, ...	52/6	54/–	55/6	60/–	64/6	70/6	76/6 ,,

C486 3 prong, as C485. 13/6 dozen extra.

C487 2 prong, Plain Bevelled Hoop, Pinned through tang, All Bright, "**Leapfrog**" Brand (not "Neverbend" quality). Best Ash Handles.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**38/3**	39/9	41/3	45/–	50/3	56/3	62/3 dozen.
10 ,, 5½ ,, ...	39/9	**41/3**	42/9	46/6	51/9	57/9	63/9 ,,
11 ,, 6 ,, ...	41/3	42/9	**44/3**	48/–	53/3	59/3	65/3 ,,
12 ,, 6½ ,, ...	42/9	44/3	45/9	**49/6**	54/9	60/9	66/9 ,,
13 ,, 7 ,, ...	44/3	45/9	47/3	51/–	**56/3**	**62/3**	**68/3** ,,
14 ,, 7½ ,, ...	45/9	47/3	48/9	52/6	57/9	63/9	69/9 ,,

C489 3 prong, as C487. 15/– dozen extra.

"Mermaid" Hayforks with Specially Waxed Handles are supplied in Protective Sheaths to preserve their Superior Finish.

Heavy type Prices are Standard Sizes.

SOLID SOCKET HAYFORKS



C534 2 prong, Bright and Red, "**Leapfrog**" Brand. Good Ash Handles.

Length x Width of Prongs	4	4½	5	5½	6 feet.
9 in. 5 in.	41/3	44/3	47/3	51/9	56/3 dozen.
10 ,, 5½ ,, ...	42/9	45/9	48/9	53/3	57/9 ,,
11 ,, 6 ,, ...	44/3	47/3	50/3	54/9	59/3 ,,
12 ,, 6½ ,, ...	45/9	48/9	51/9	56/3	60/9 ,,

CAP HOOPED



C494 2 prong, Pinned through tang, "**Leapfrog**" Brand, All Bright. Good Ash Handles.

Length x Width of Prongs	4	4½	5	5½	6	6½	7 feet.
9 in. 5 in.	**36/9**	39/–	42/–	45/–	49/6	56/3	66/– dozen.
10 ,, 5½ ,, ...	38/3	**40/6**	43/6	46/6	51/–	57/9	67/6 ,,
11 ,, 6 ,, ...	39/9	42/–	**45/–**	48/–	52/6	59/3	69/– ,,
12 ,, 6½ ,, ...	41/3	43/6	46/6	**49/6**	54/–	60/9	70/6 ,,
13 ,, 7 ,, ...	42/9	45/–	48/–	51/–	**55/6**	**62/3**	**72/–** ,,
14 ,, 7½ ,, ...	44/3	46/6	49/6	52/6	57/–	63/9	73/6 ,,

C496 3 prong, as C494. 12/– dozen extra.

SHAFTS ONLY

		4	4½	5	5½	6	6½	7 feet.
C512	Best quality, Plain Ends...	16/6	18/–	19/6	24/–	30/–	36/–	45/– dozen.
C513	,, Tapered ,, ...	18/–	19/6	21/–	25/6	31/6	37/6	46/6 ,,
C514	Second quality Plain ,, ...	12/–	13/6	15/–	18/–	22/6	28/6	34/6 ,,
C515	,, Tapered ,, ...	13/6	15/–	16/6	19/6	24/–	30/–	36/– ,,

PRONGS ONLY

		9	10	11	12	13	14 inch.
C497	Bright Oval, Flat Tang, Two Prong	15/9	16/6	17/3	18/–	19/6	21/– dozen.
C530	,, Strapped, Black Straps, Two Prong ...	25/6	27/–	28/6	30/–	31/6	33/– ,,

FERRULES

		3½	4	4½ inches.
C508	Plain, Tapered for Hayforks	3/3	4/–	5/– dozen.
C511	,, Manure Forks	—	—	5/– ,,

"NEVERBEND" BEET FORKS & KNIVES.



D643

Kale Knife, 9½in. Blacked Blade, 7in. Round Handle, weight 1½lbs. **33**/– Dozen.



C833

Knife, for Topping. Ferruled Handle.
Turned up point. Bright. 10in. Blade x 1⅛in. wide. **21**/– Dozen.



C834

Knife, for Topping. Ferruled Handle.
Turned down point. Bright. 10in. Blade x 1⅛in. wide. **21**/– Dozen.



D110

Beet Knife, Improved Light Pattern for Topping Beets, Turnips, etc. Bright and Black. Blade 9½in. Handle 6in. Riveted through tang. **24**/– Dozen.

D110a

Beet Knife, New Pattern. Bright and Black. Blade 9½in. Round Handle 6in. Riveted through tang. **18/6** Dozen.



E498

Beet Knife, Light Pattern, All Bright 9in. Blade, 6in. Shaped Handle 3 Rivets. **14/3** Dozen.

BEET LOADING FORKS.

The working life of a Beet Fork depends on the wear resistance of the Steel Balls on the prongs. Those on "Neverbend" Forks have always been made from hard steel, but we have now altered the steel and heat treatment, and the Balls are **SUPER GLASS HARD.**

The working life of a "Neverbend" Beet Fork is therefore at least **two or three times** that of any other make.



C128

C128 Beet Fork, Deep Dish, solid Strapped "Mermaid" Brand, Six Prongs, Round and Ball Pointed, 15 x 13 in. Self Colour, 10 in. Straps, 2 Rivets. Selected Ash Handles,

32 in. T Handles	...	...	... **82/6** Doz.
32 in. Metal D Handles	...	...	**86/3** ,,

HANDLES FOR SHOVELS, SPADES AND FORKS

C874 and C879



C875 and C876



C877

"T" or "Crutch"

C878

C874	Straight	32 inch	**11**/–	dozen.
C875	Bent for Strapped Shovels	32 „	**12/6**	„
C876	„ „ Spades	31 „	**12/6**	„
C877	Tapered, Bent, for Open Socket Shovels	28 „	**13/9**	„
C878	Bent, Chucked, for Hooped Forks	32 „	**14/3**	„
C879	Straight, for Border Forks...	32 „	**11**/–	„
C890	Tapered for Solid Socket Spades	25 „	**13/6**	„
C891	Straight for Border Spades	30 „	**11**/–	„

C880 and C884
"D" "Box" or "Eye"
Riveted through Grip.

C880	Straight	30 and 32 inch	**22**/–	dozen.
C881	Bent for Shovels	32 „	**23/6**	„
C882	„ Spades	31 „	**23/6**	„
C883	Tapered, Bent, for Open Socket Shovels	28 „	**23/9**	„
C884	Straight, for Border Forks...	32 „	**22**/–	„
C892	Straight for Border Spades	30 „	**22**/–	„
C872	Bent for Spades, 3¼ft. or 4ft.	...	**17/3**	„
C873	„ Forks, „ „	...	**17/3**	„

Metal "D" Handles or "Patent Hilt"

C885	Straight	32 inch	**17/3**	dozen.
C886	Taper, Bent for Open Socket Shovels	29 „	**20**/–	„
C887	Bent, Chucked and Bored for Hooped Forks	32 „	**20/6**	„
C888	Hilts only, medium or larger		**10**/–	„



Split Dee Handles, 30 or 32 inch **15**/– dozen.

C889

C665

		4	4½	5	5½	6 feet.	
C665	**Rake (or Hoe)** Tapered Ends	—	**14/3**	**17/3**	**20/3**	**24**/–	dozen.
C889	**Manure,** Plain Ends, 1½ inch	**16/6**	**18/9**	**21/9**	—	—	„
DC895	Good Quality **Handles** for Hoes and Rakes, 50 inch long x 1⅛ inch					**9**/–	„

GRASS SHEARS



DC574 DC576 DC577



DC575

		6	6½	7	inch.
DC574	Half Bright Blades, Bright Bent Shanks	**43/6**	**45/9**	**50/3**	Dozen.
DC575	,, ,, ,, Trowel , ...	**72/–**	**76/6**	**82/6**	,,
DC576	,, ,, Black Bent ,, ...	**39/–**	—	—	,,
DC577	Special Cheap Line, Bent Shank, Red Enamelled, 5½in. Blade **27/–** dozen.				

PRUNING SHEARS

DC612

DC614

DC627

		6½	7	7½	8	8½	inch.
DC612	Steel Blades, Double Cut, Black Finish	—	**34/6**	—	**40/6**	—	Dozen.
DC614	Auberts Pattern, All Steel, ,, ,, ...	—	**40/6**	—	**46/6**	—	,,
DC627	,, ,, ,, ,, ,, ...	**69/–**	—	**75/–**	—	**81/–**	,,
DC615	,, ,, ,, ,, ,, ...	—	**36/–**	—	**39/–**	—	,,

HOOKS

DC962

DC963



DC950

DC962	**Grass Hook,** Improved Pattern, Detachable Blade ...	**30/–** Dozen.	Blades only, **18/–** Dozen.
DC651	,, ,, as DC962, but fitted with 48in. handle ...	**48/–** ,,	
DC652	**Thistle Hook,** with Back Stay, fitted with 48in. handle	**51/–** ,,	
DC963	**Grass Hook,** Solid, 19in. over Back, Straight ...	**18/–** ,,	
DC964	,, ,, ,, ,, ,, Cranked ...	**21/–** ,,	

		Sizes 0	1	2	3	4	
DC950	**Bagging Hook,** Cranked	**30/–**	**31/6**	**33/–**	**36/–**	**40/–**	Dozen.
DC951	,, ,, Straight	**28/6**	**30/–**	**31/6**	**34/6**	**39/–**	,,

LAWN SHEARS

DC590
DC609



DC591

		7	8	9	10	inch
DC590	Standard Pattern, without Wheel, 36in. Handles	—	**10**/–	**10**/–	**11**/–	Pair.
DC591	,, ,, with ,, ,, ,,	—	**12/6**	**12/6**	**13/6**	,,
DC609	Ladies ,, without ,, 32in. ,,	**9**/–	**9**/–	—	—	,,

With Rubber Buffers, **1/6** per pair extra.

GARDEN SHEARS



DC570 DC580 DC582



DC571 DC584 DC585

		8	9	10	inch
DC570	Plain, Standard Weight	**5/6**	**5/9**	**6/9**	Pair.
DC571	Notched ,, ,, ...	**6/3**	**6/6**	**7/9**	,,
DC580	Plain, Medium Weight	**5**/–	**5/3**	**5/9**	,,
DC584	Notched ,, ,, ...	**5/6**	**5/9**	**6/3**	,,
DC582	Plain, Light made in one size only	**33**/–	Doz. Pairs.		
DC585	Notched, Light ,, ,, ...	**36**/–	,,		



DC573 DC583



DC579

DC573	Ladies Pattern. 6in. and 7in. Blades	**4/9**	Pair.
DC583	Light ,, 6in. Blades	**24**/–	Doz. Pairs.
DC579	,, ,, 4½in. Blades	**3/3**	Pair.

All our Shears are fitted with Special Locknut to prevent Blades working loose.

BORDER SHEARS

DC588
DC608

DC589

					7	8	9	10	inch.
DC588	Standard Pattern,	without wheel,	36in. Handle		—	**10**/–	**10**/–	**11**/–	Pair.
DC589	,, ,,	with ,,	,, ,,		—	**11**/–	**11**/–	**12**/–	,,
DC608	Ladies ,,	without ,,	32in. ,,		**9**/–	**9**/–	—	—	,,
DC610	Light ,,	,, ,,	32in. handles,		—	**6**/**9**	—	—	,,

LOPPING SHEARS



DC598

Size No.	1	2	3	4	
Blade from centre of Rivet	2½	3	3½	4	inch.
Length of Handle	20	24	28	32	,,
DC598 Solid Steel Blades	**8**/**9**	**10**/–	**11**/**6**	**13**/–	Pair.



DC595

Trimeasy Shears
(Pat. of Add No. 29173).
For trimming the edges of Lawns.
Easy to operate, Light & Handy.
48/– Dozen.

All our Shears are fitted with Special Locknut to prevent Blades working loose.



DC625

TREE PRUNERS

		5	6	7	8	9	10	12	feet.
DC625	Cadmium Plated Fittings	**8**/**9**	**9**/**3**	**10**/–	**10**/**6**	**11**/**6**	**12**/**3**	**14**/**6**	Each.
	Spare Blades	**1**/**6** Each.							

FEATHERWEIGHT SCYTHES FOR SINGLE HANDED USE.

A very handy little tool which anyone can use for cutting rough grass, thistles, docks, etc., in places where it is impossible or awkward to use an ordinary scythe.

Particularly useful for bunkers on golf courses, clearing ditches, trimming hedges, cutting grass on banks and for general use on farms and in gardens.

Approximate size blade 16½in., handle 28in. detachable blade fastened with stirrup and worm screw by means of key provided with each scythe.

NOTE :—Grass Nail to keep Blade rigid.

Packed flat, easy to stock

DC965 **78/- DOZ.**

Packed in half dozens per box



CULTIVATORS "Neverbend" Adjustable Prongs, Black and Gold.

DC866

DC865



DC867

DC865	3 Prong,	12in. Handle	...	...	...	**33**/–	Dozen.
DC866	3 ,,	48in. ,,	...	...	...	**54**/–	,,
DC867	5 ,,	48in. ,,	...	...	...	**66**/–	,,

SPUDS

DC721

DC722

DC725

DC726

DC721	Solid Socket, Bright and Blue, 2 in.					**15/9**	Dozen.
DC722	,,	,,	,,	,,	,,	**17**/–	,,
DC725	Open Socket, Bright and Blue, 2 in.					**8**/–	Dozen.
DC726	,,	,,	,,	,,	,,	**11**/–	,,



DC786 Solid Tanged Draw Hoes.

		Blades	4	5	6	7	8	inch
DC786	"Mermaid" Brand, Bright and Red, with Best 5ft. Ash Handles, waxed.		**51/6**	**51/6**	**51/6**	**52/–**	**53/–**	doz.



DC764 Solid Swan Neck Bury Hoes.

		Blades	5	6	7	8	9	inch
DC764	Square ... "Mermaid" Brand, ¼ Bright, with Best 5ft. Ash Handles, waxed		**50/6**	**51/6**	**53/–**	**54/6**	**56/6**	doz.
DC779	Half Moon							



DC650 Solid Socket Stalham Hoes.

		Blades	4	5	6	7	8	9	inch
DC650	"Mermaid" Brand, All Bright, with Best 5ft. Ash Handles, waxed		**57/–**	**58/6**	**60/–**	**61/6**	**63/–**	**64/6**	doz.



DC820 Riveted Draw Hoes.

		Blades	4	5	6	7	8	inch
DC820	"Mermaid" Brand. Short Neck, Bright & Blue, Best 5ft. Ash Handles, waxed		**35/–**	**35/–**	**36/–**	**37/–**	**37/6**	doz.
DC821	,, ,, Long Neck ,, ,, ,, ,,		**36/–**	**36/–**	**37/–**	**38/3**	**39/–**	,,
DC827	"Leapfrog" ,, Short ,, ,, 50in. Good Quality Handles		**26/6**	**26/6**	**26/6**	—	—	,,
DC2827	"John Cockerill" ,, ,, ,, ,, 48in. Cheaper Quality Handles		**21/–**	**21/–**	**21/–**	—	—	,,



DC770 Stamped Push Hoe.

DC770	"Mermaid" Brand 7in. blade, Pinned through Tang, Bright and Red, with 50in. Good Quality Handles,	**37/6**	doz
DC2770	"John Cockerill" as above ,, ,, ,, ,, ,, 48in. Cheaper ,, ...	**30/–**	,,

DC837 Paxton Socket Hoes.

		Blades	4	5	6	7	8	9	inch
DC755	"Mermaid" Brand, Bright and Red, with Best 5ft. Ash Handles, waxed.		**56/6**	**57/–**	**58/–**	**60/–**	**62/6**	**66/6**	doz.
DC837	Stainless ,, ,, ,, ,, ,, ,, ,,		—	—	—	**11/–**	—	—	each



DC826 Stamped Dutch Hoes.

		Blades 3	4	5	6	7	inch
DC826	"Leapfrog" Brand, Bright and Blue, 50 in. Good Quality Handles,	**26/6**	**28/6**	**30/6**	**32/–**	**33/9**	doz.
DC2826	"John Cockerill" ,, ,, with 48 in. Cheaper Handles,	**20/6**	**22/–**	**24/–**	**26/–**	**27/6**	,,



DC920 Solid Socket Dutch Hoes.

		Blades 4	5	6	7	8	inch
DC920	"Mermaid" Brand, Bright and Blue, with Best 5ft. Ash Handles waxed,	**50/-**	**51/6**	**53/6**	**55/6**	**57/-**	doz.
DC921	,, ,, ,, ,, Slanting T 5 ft. ,, ,,	**55/-**	**56/6**	**58/6**	**60/6**	**62/-**	,,



DC829 & DC830 Riveted Socket Dutch Hoes.

		Blades 4	5	6	7	8	9	inch
DC829	"Mermaid," Bright and Blue, with selected 4½ ft. Handles ...	**44/-**	**44/6**	**46/6**	**49/-**	**52/-**	**56/–**	doz.
DC830	"Leapfrog," ,, ,, with good quality 50 in. Handles	**36/6**	**37/6**	**39/6**	**41/3**	**43/-**	**48/–**	,,



DC785 Riveted Dutch Hoes, Tanged.

		Blades 4	5	6	7	8	inch
DC785	"Mermaid" Brand, Bright and Red, with Best 5 ft. Ash Handles, waxed,	**45/9**	**47/3**	**48/9**	**51/–**	**52/6**	doz.



DC790A. Onion Hoes, Solid Tang.

		Blades 3	4	5	6	inch
DC790A	"Mermaid" Brand, All Bright, with good quality 50in. Handles ...	**46/6**	**46/6**	**46/6**	**48/6**	dozen
DC790	,, ,, ,, ,, but fitted with 6in. Handles ...	**29/3**	**30/–**	**30/9**	**31/6**	,,



DC757



DC758

DC760



DC761

		Blades	4	5	6	7	8	9	inch.
DC757	**Riveted** Bright and Blue, Short Neck, 3in. Deep	...	11/–	11/–	12/–	13/–	13/6	15/–	Dozen.
DC758	,, ,, ,, Long Neck ,,	...	12/–	12/–	13/–	14/3	15/–	16/6	,,
DC760	**Solid** ,, ,, Short Neck ,,	...	20/–	20/–	21/6	23/6	25/6	28/–	,,
DC761	,, ,, ,, Long Neck ,,	...	23/–	23/–	24/6	27/–	30/–	33/–	,,



DC649

DC763

DC778



DC787

		Blades	4	5	6	7	8	9	inch.
DC649	**Stalham, Solid Socket,** 2½in. deep, all bright	...	33/–	34/6	36/–	37/6	39/–	40/6	Dozen.
DC763	**Solid Swan Neck,** Half Bright, 3in. Deep	...	—	26/6	27/6	29/–	30/6	32/6	,,
DC778	,, ,, ,, ,,	... ...							
DC787	**Triangular,** Iron Socket, Nut and Screw, Bright & Blue		23/3	23/3	24/9	26/6	28/6	30/–	,,



DC781 DC782



DC783



DC780

DC784

		Blades	3	4	5	6	7	8	9	inch.
DC781	**Dutch,** Riveted, Bright and Blue	...	—	23/–	23/6	25/6	28/–	31/–	35/–	Dozen.
DC782	,, Solid ,, ,,	...	—	26/–	27/6	29/6	31/6	33/–	35/–	,,
DC783	,, Stamped ,, ,,	...	11/–	12/6	13/6	15/–	16/6	18/9	—	,,
DC780	**Potato,** Solid, Quarter Bright	...	—	28/–	—	—	—	—	—	,,
DC784	**Paxton,** Socket, Bright and Red	...	—	32/6	33/–	34/–	36/–	38/6	42/6	,,

DC791

Hoe Blades, Quarter Bright.	5–6	7–8	9–10	inch.
2½in x 16 or 18 gauge ...	6/3	7/–	7/6	Dozen.
3in. x 16 or 18 gauge ...	7/–	7/6	8/3	,,

DC789

Hoe Frames, Blacked	4	5	inch.
DC789	23/6	26/–	Dozen.

WEED FORKS & GARDEN SUNDRIES.



DC703

DC705



DC716

DC751



DC720 DC754

DC703	**Twisted Prongs,** Tanged, Bright and Red, 5in. Handle ...	**16/–**	Dozen.
DC704	As DC703 ,, Fitted with 15in. Handle	**20/–**	,,
DC705	,, Socket ,, 8in. ,, ...	**18/6**	,,
DC706	As DC705 ,, ,, 15in. ,, ...	**22/–**	,,
DC719	As ,, Socket fitted with 50in. Good Quality Handles ...	**34/–**	,,
DC2719	As ,, ,, ,, 48in. Cheaper ,, ,, ...	**27/6**	,,
DC716	**Flat Prongs,** Tanged, Red, 5in. Handle	**11/–**	,,
DC751	,, ,, Bright and Red, 5in. Handle	**18/6**	,,
DC752	As DC751 ,, Fitted with 8in. Handle	**21/–**	,,
DC753	,, ,, ,, 15in. ,, ...	**22/–**	,,
DC701	3 Prongs, Cheap Pattern, Red, 5in. Handle	**7/3**	,,
DC715	,, Stainless, Solid, Brass Ferrule, 5in. Handle	**51/–**	,,

DC720	Best Quality, Socket Pattern Bright and Red with 48in. Good Quality Handle,	**25/9**	dozen
DC2720	With 48in. Cheaper Quality Handles	**20/–**	,,
DC754	Best Quality, Tanged Bright and Red, with Best Ash 48 in. Handle, Waxed	**32/–**	,,



DC745

DC768

DC747



DC748

DC743

DC745	**Garden Reels**	**37/6**	Dozen.
DC768	**Plant Setter,** Iron Shod, 12″ Overall, Polished Handle	**15/–**	,,
DC747	**Dibbler,** D Handle	**11/–**	,,
DC743	,, as DC747, D Handle, **Iron Shod** ...	**25/6**	,,
DC748	,, T ,, ...	**6/–**	,,
DC744	,, as DC748, T ,, **Iron Shod** ...	**20/6**	,,

DC714

DC707

DC708

DAISY GRUBBERS

DC714	3 Prong, Bright and Red, 5in. Polished Handle...	**15/9**	Dozen.
DC708	2 ,, as DC714 ,, ,, ,, ...	**13/–**	,,
DC707	2 ,, ,, 15in. ,, ,, ...	**27/6**	,,

GARDEN TROWELS



DC680 DC678



DC686



DC685



DC694



DC700

Stainless, Trowel and Weed Fork (Boxed)

Trowel **(DC699)** and Weed Fork **(DC715)** **9**/– per Set.

		6	7	inch.
DC678	**Riveted,** Bright and Red, 5 in. Handle	**12/6**	**13/6**	Dozen.
DC680	As DC678, All Bright ,, ,, ...	**15/9**	—	,,
DC685	**Solid** ,, ,, ,, ...	**29/6**	**32**/–	,,
DC686	**Socket,** Bright and Red 8 in. ,, ...	**15**/–	—	,,
DC750	As DC686 3 in ,, ...	**13/6**	—	,,
DC687	,, 15 in ,, ...	**18/6**	—	,,
DC702	**Riveted,** Cheap Pattern, Red, 5 in. Handle...	**7/3**	—	,,
DC699	**Solid,** Stainless, Brass Ferrule ,, ,, ...	**48**/–	—	,,
DC694	**Bulb Trowel,** Socket Bright and Red	**15**/–	—	,,

EDGING KNIVES.

DC738

DC740

DC734

DC738	**Stamped Socket,** 8in. Blade,	Bright and Red,	32in. Ash "T" Handle	**40/6**	dozen
DC740	**Solid Steel Tanged,** ,,	Self Colour.	Hardwood ,, ...	**30**/–	,,
DC734	**Solid Forged Tanged** ,,	Bright and Red.	Ash ,, ...	**46/6**	,,
DC737	,, **Socket** ,,	,, ,,	,, ,, ...	**64/6**	,,
DC836	**Stainless,** as DC738,	Bright and Gold	,, ,, ...	**13/6**	each

Extra for "D" Handles ... **10/6** dozen.

GARDEN RAKES.



DC662 DC667

	No. of Teeth	8	10	12	14	16	
	Length of Handle	5	5	5½	5½	5½	feet
DC662 **"Neverbend"** Black and Gold ...	... ...	**51/6**	**53/–**	**58/6**	**65/6**	**69/6**	dozen
DC667 ,, Bright and Gold ...	... ...	**58/6**	**62/–**	**65/6**	**72/9**	**76/6**	,,
	Length of Handle	4½	5	5	5	—	feet
DC672 **"Leapfrog,"** Black		**36/6**	**40/6**	**44/–**	**47/6**	—	dozen



DC666 DC668

	No. of Teeth	8	10	12	14	16	
	Length of Handle	4½	4½	5	5½	5½	feet
DC666 **"Mermaid"** Solid End, Bolstered Teeth, Black		**34/6**	**37/6**	**43/6**	**48/9**	**54/9**	dozen
DC668 **"Leapfrog"** ,, ,, ,, **4ft. Good Quality Handles**		**26/–**	**29/3**	**32/–**	—	—	,,
DC2668 **"John Cockerill"** ,, ,, ,, **4ft. Cheaper Handles** ...		**20/6**	**24/–**	**27/6**	—	—	,,

DC658

	No. of Teeth	8	10	12	14	16	
Rake Heads only ...		**13/6**	**16/6**	**19/6**	**22/6**	**27/–**	dozen

	14	16	Teeth
D1197 Tarmac Rake, Welded Socket 16in., Light, with 4ft. x 1⅜in. Shaft...	**78/–**	**84/–**	dozen

FLEXO LAWN RAKE Straight front.

(PATENT APPLIED FOR)



DC669

DC669 **Flexible Rake,** Self Cleaning, 16 prong, Spring Steel Wire, **Rust Proof,** complete with 52″ Handle **60/–** dozen
DC669D ,, Dual ,, 32 ,, ,, ,, ,, ,, ,, ,, **180/–** ,,

"NEVERBLUNT" SLASHERS.

Made from One Piece of Steel, Bright Solid Front Sockets, Blades Bright and Blacked.

DC847 DC848 DC849



DC839

DC840L DC840M DC840H



DC841



DC843



DC844



DC854

DC968

	Size Nos.	60	70	80	90	100	
	Blade	6¾	8	8¾	9½	—	inches.
	Length Overall	30	36	37½	39	—	,,
DC847	**Scotch,** Light Pruning	**83/9**	**87/6**	**90/9**	**94/9**	—	Dozen.
	Blade		7¼	7½	8¼	9¼	inches.
	Length Overall		35	36	38	40	,,
DC848	**Scotch,** as DC847, Half Cutting Over		**83/9**	**87/6**	**90/9**	**94/9**	Dozen.
	Blade			6½	6¾	7	inches.
	Length Overall			35	36	37½	,,
DC849	**Scotch,** as DC847, Full Cutting Over			**87/6**	**90/9**	**94/9**	Dozen.
	Size Nos.		0	1	2	3	
	Length of Blade		8	9	10	11	inches.
	Length of Handle		28	30	32	34	,,
DC839	**Dunse**						
DC840L	**Morpeth and Hexham** Light		**83/9**	**87/6**	**90/9**	**94/9**	Dozen.
DC840M	,, ,, Medium						
DC840H	,, ,, Heavy		**90/9**	**94/9**	**98/3**	**101/9**	,,
DC841	**Spear Point**		**83/9**	**87/6**	**90/9**	**94/9**	,,
DC843	**Razor**						
DC844	**Furze or Briar**		—	**87/6**	**90/9**	**94/9**	,,
DC854	**Egerton,** 22 in. Handle with Copper Bit		—	**90/9**	—	—	,,
	Size Nos.		1	2	3	4	
	Length of Blade		15	16	17	18	inches.
DC968	**Brushing Hooks,** 34in. Hickory Shafts		**90/3**	**92/6**	**94/9**	**96/9**	Dozen.

"NEVERBLUNT" BILL HOOKS

DC856

		No. 1. 9″	No. 2, 10″	No. 3, 11″	
DC856	**Lopping,** Tanged, 5½ in. Handle	**54/6**	**58/3**	**62/–**	Dozen.

DC858

DC859

		No. 1, 8″	No. 2, 8½″	No. 3, 9″	No. 4, 9½″	
DC858	**Tanged,** 6½ in. Handle	**60/–**	**63/6**	**67/–**	**71/–**	Dozen.
DC859	**Strapped,** 15 in. Handle	**83/9**	**87/6**	**90/9**	**94/9**	,,

DC864

DC865

DC866

DC868

DC869



355

		8	9	10	11	
DC864	**Norfolk** Pattern, Tanged, 6½ in. Handle	**54/6**	**58/3**	**62/–**	—	Dozen.
DC865	**Tenterden** ,, ,, Single edge, 5½ in Handle	**51/3**	**54/6**	**58/3**	—	,,
DC866	**Newtown** ,, 5½ in. Handle	—	**54/6**	**58/3**	**62/–**	,,
DC868	**Kent** ,, Tanged, Single Edge, 6 in. Round Handle	**51/3**	**54/6**	**58/3**	—	,,
DC869	**Moss or Hampshire** ,, ,, ,, 5½ in. Handle					
355	Cheap Double Edge, 6 in. Handle	**33/–**	—	—	—	,,
356	As 355, Single edge, ,, ,, ...	**29/3**	—	—	—	,,



DC802

		30	32	34	36	38	40	42	
DC802	**Scythes**, Riveted Back	**91/6**	**91/6**	**94/6**	**94/6**	**97/6**	**100/6**	**103/6**	Dozen.
DC803	,, Solid ,, ...	**117/–**	**118/6**	**120/–**	**123/–**	**126/–**	**129/–**	**133/6**	,,

DC805 **Snaiths,** complete with Ring, **60/–** Dozen.

NOTES

NOTES